



Heiniger

ANIMAL SHEARING AND CLIPPING EQUIPMENT

Product catalogue

quality  swiss made



Matterhorn Glacier, Zermatt



SWITZERLAND INNOVATION, QUALITY, TRADITION

Switzerland is a country of inventors

Innovation is part of the Swiss DNA. This is witnessed not only by its 1st position in the «Global Innovation Index», but also by its top-ranked universities, by the yearly International Exhibition of Inventions of Geneva and by countless innovative products made in Switzerland.



Switzerland means quality

Reliability, safety, accuracy, autonomy: Swiss people are proud of these assets. In turn, these values make their way into typical products for which Switzerland is famous all over the world, such as watches and knives – and clippers.



Living tradition

Swiss Alphorn sounds and yodellers in homemade costumes – who isn't familiar with this picture? Swiss people have always nurtured their own customs, with four national languages and several dialects. This has paved the way for an enormous cultural diversity and living tradition.

THE SWISS ANIMAL SHEARING AND CLIPPING EQUIPMENT SPECIALIST

Since 1965, our animal shearing and clipping equipment has set the standard for quality, precision and reliability.

Our products are developed and manufactured in Herzogenbuchsee, in the heart of Switzerland. No matter which country you are in across the globe, or which animals you have – be it sheep, cattle, camelids, horses, goats or small animal pets – millions of animals are shorn, clipped and groomed with Heiniger «swiss made» products daily.

HEINIGER

A FAMILY AFFAIR

3rd Generation

The Heiniger family name in 3rd generation stands for high-quality swiss made animal shearing and clipping equipment. The Heiniger company initially began trading in fruit and vegetables in 1946 – but under the direction of my great-uncle Hermann Heiniger and my father Werner Heiniger, the business turned into a high quality manufacturer and global trader who specializes in animal fibre harvesting equipment.

World market leader

For professional shearers only the highest quality counts. The proximity to our customers in markets such as Australia and New Zealand in particular – combined with the engineering technology and precision manufacturing of Swiss technology – has seen the Heiniger name become proud world leaders in the manufacturing and supply of professional sheep shearing and clipping equipment.

Heiniger – a family matter

Heiniger is a family affair – not only at the management level. Our long-serving and loyal employees are part of the family. Over the decades, across our employee base, we have collected animal shearing and clipping-knowledge and passed it down to our younger «family members». The loyalty and dedication of the staff, as well as the specialized technical knowledge of animal shearing and clipping, are the success factors behind Heiniger.

Quality Swiss Made

High quality products «Made in Switzerland» facilitate our customer's daily work. This is what we stand for with our family name now and in future.



Daniel Heiniger
CEO



Werner Heiniger
Chairman of the Board



Hermann Heiniger
(† 1998)



Sheep at Aletsch Panaroma Trail, National Park

CONTENT

SHEEP SHEARING

- | | |
|----|----------------------------------|
| 9 | Sheep shearing machines |
| 11 | Handpiece / Shearing plants |
| 17 | Sheep shearing combs and cutters |
| 25 | Accessories |

CATTLE AND HORSE CLIPPING

- | | |
|----|-------------------------|
| 29 | Cattle clippers |
| 33 | Horse clippers |
| 37 | Cattle and horse blades |

SMALL ANIMAL CLIPPING

- | | |
|----|-----------------------|
| 39 | Small animal clippers |
| 44 | Small animal blades |


GRINDING AND ACCESSORIES

- | | |
|----|-------------|
| 47 | Grinders |
| 50 | Accessories |

**Sheep shearing equipment designed
according to the recommendations of
professional shearers to ensure
maximum performance and unprece-
dented safety**

– Heiniger AG –

Sheep shearing machine



XPERT2

HIGHSPEED WITH 2500/2800 DOUBLE STROKES

RESISTANT AND DURABLE

LIGHT, SLIM AND EXTREMELY HANDY

VERY QUIET

CONTROLLED AIR FLOW

Maximum speed of 2800 double strokes per minute and a powerful motor to shear sheep quickly and without any effort.

Order number

708-220	230V	EU/CH
708-221	230V	GB

New

≡2-SPEED≡




YouTube Link | **Video**
Xpert 2-Speed



Specifications

Motor power: 250 watts
Speed: 2500/2800 db/min | Length: 301 mm
Weight: 1 180 g | Noise emission (LpAm): 72 dB (A)

Sheep shearing machine



XTRA

PATENTED SHEARING SYSTEM**THERMAL OVERLOAD
PROTECTION SWITCH****SOLID AND ROBUST**

This powerful electric shearing hand-piece has a patented floating fork system to provide an even pressure across the comb and cutter, this uses less pressure and extends the life of the comb and cutter by up to 50%.


Order number

712-600 230V EU/CH
712-630 230V GB
712-670 120V US

**Specifications**

Motor power: 320 watts | Speed: 2 400 Dbs/min | Length: 350 mm
Weight: 1 530 g | Noise emission (LpAm): 80 dB (A)

Sheep shearing machine



S 12

**BATTERY-OPERATED SHEARING
MACHINE 12 V****OPERATION WITH CAR OR
MOTORCYCLE BATTERY****OPERATING TIME OF 4 TO 5 HOURS****50AH BATTERY**

The portable 12V battery shearing machine can be used everywhere where a 12V power supply is available, a mains connection is not required.

Order number

712-100

**Specifications**

Motor power: 160 watts | Speed: 2 250 Dbs/min | Length: 310 mm
Weight: 1 230 g | Noise emission (LpAm): 80 dB (A)



Specifications

Dimensions W × H × L: 65 × 95 × 320 mm
Weight without blade: 1 193 g

Handpiece

ICON FX

New

LIGHTER

ERGONOMIC

BALANCED

The significantly lighter weight requires less energy to stop momentum and minimises the effort required for every blow. The new slimmer shaped barrel ensures a superb grip and provides maximum in-hand comfort. The precise weight distribution provides superior balance and handling to deliver easier manoeuvrability.

Order number

721-280 ICON FX Worm coupling
721-260 ICON FX Pin coupling



Handpiece

ICON CYCLONE

**FITS EVO, ONE SHEARING SYSTEMS
AND DEVICES OF OTHER
MANUFACTURERS**

WITH PIN OR WORM COUPLING

Developed in cooperation with the Swiss Technical University ETH in Zurich, the ICON offers high performance, a longer working life and minimal maintenance effort.

Order number

721-180 ICON Worm coupling
721-160 ICON Pin coupling

Specifications

Dimensions W × H × L: 65 × 95 × 320 mm | Weight without blades: 1 300 g

Shearing plant



EVO

SHEARING PLANT WITH 3 SPEEDS**STRONG 300W MOTOR****AUSTRALIAN «WORKSAFE» AWARD**YouTube Link | **Video****Set up EVO**


The first professional shearing system in the world with an electronic safety switch designed to help eliminate hand-piece lockup. Sturdy, fibreglass reinforced housing. With downtube fitting, service free belt and quick release.

**Specifications**

Motor power: 300 watts | Rotary speed at 230V: 3500/3200/2700 U/min | Rotary speed at 120V: 3500/3200/2700 U/min
Dimensions W x H x L: 225 x 300 x 290 mm | Weight: 7,8kg | Noise emission (LpAm): 70dB (A)

Complete shearing plant

EVO



**Complete with flexible drive 200cm
and handpiece Icon:**


722-710.A	230V	EU/CH worm
722-710.B	230V	EU/CH pin
722-720.A	230V	GB worm
722-720.B	230V	GB pin
722-740.A	120V	US worm
722-740.B	120V	US pin



**Complete with solide downtube 200cm
and handpiece Icon:**

722-710.I	230V	EU/CH worm
722-710.K	230V	EU/CH pin
722-720.I	230V	GB worm
722-720.K	230V	GB pin
722-740.I	120V	US worm
722-740.K	120V	US pin

Shearing plant



ONE

SINGLE-SPEED SHEARING PLANT**STRONG 300W MOTOR**


ONE plant offers all of the advantages of the EVO but has one speed and is only operated with the flexible shaft. Easy service and maintenance. Handy, light and quiet.

YouTube Link | **Video****Set up One****Specifications**

Motor power: 300 watts | Rotary speed at 230V: 2950 U/min | Rotary speed at 120V: 3500 U/min
Dimensions W × H × L: 243 × 317 × 209 mm | Weight: 6,5 kg | Noise emission (LpAm): 70 dB (A)

Complete shearing plant

ONE



**Complete with flexible drive 200cm
and handpiece Icon:**

722-610.A	230V	EU/CH worm
722-610.B	230V	EU/CH pin
722-620.A	230V	GB worm
722-620.B	230V	GB pin
722-640.A	120V	US worm
722-640.B	120V	US pin


Accessories Shearing plant

WALL MOUNTING BRACKET



Order number

722-820



**«I've been relying on the
unique quality and performance
of Heiniger products for
several years now. Whatever the
conditions, they have never
disappointed me.»**

– Rowland Smith –

Achievements

2013, 2014, 2016, 2017 & 2018 – Golden Shears
2011, 2013, 2014, 2016, 2017 & 2018 – NZ Shearing Champs
2014 – World Shearing Champion
8 hour World Ewe Shearing Record Holder

SHEARING COMBS



LG2 TECHNOLOGY

- The patented LG2 Technology helps reducing
- the amount of fat deposits on the back of
- the comb. The shearing handpiece can thus
- penetrate the coat more easily and slide more
- smoothly over the skin of the animal. This
- optimises cutting performance, while at the
- same time reducing the strain on the machine.

SHEARING COMBS FOR BROAD WOOL

Heinger shearing combs for sheep with broad wool.



Kombat Run-In

LG2

97 mm wide / 13 teeth
Short bevel

Order number
714-108 Right hand



Calibre Full thickness

LG2

93,5 mm wide / Short bevel
Designed specifically for harsh UK conditions and all crossbred full wool sheep. This comb includes the latest Heinger LG2 technology.


Order number 714-098 Right hand



Charger Full thickness

93,5 mm wide / Short bevel
Designed specifically for New Zealand and UK conditions.

Order number
714-033 Right hand | 714-032 Left hand



Quantum Run-In

95 mm wide / Short bevel
Enhanced flow and maximised tallies in open woolled free combing sheep.

Order number
714-050 Right hand | 714-068 Left hand


SHEARING COMBS FOR BROAD WOOL

Heiniger shearing combs for
sheep with broad wool.

**Warrior Full thickness**

96 mm wide / Short bevel
For crossbreds with perfect flow
in open wool.

Order number
714-059 Right hand

**Quasar Full thickness**

95 mm wide / Medium bevel
To achieve high tallies in open wool.

Order number
714-038 Right hand

**Super Charged Run-In**

93,5 mm wide / Short bevel
Enhanced flow and maximised tallies in
open woolled free combing sheep.

Order number
714-034 Right hand

**Raging Warrior Run-In**

96 mm wide / Short bevel
Wide comb for crossbred with perfect
flow in open wool.

Order number
714-056 Right hand

**Condor Run-In**

98 mm wide / Short bevel
The 98 mm wide profile offers optimum
width of blow.

Order number
714-088 Right hand

**XLR-8 Run-In**

98 mm wide / Medium bevel
A maximum width – all purpose comb for shearing
crossbred sheep through to fine wool sheep.

Order number
714-106 Right hand

LG2

SHEARING COMBS FOR FINE WOOL

Heiniger fine wool combs will withstand the harshest conditions, wherever you are shearing.

**Ninja Run-In****LG2**

97 mm wide / medium-long bevel

New LG2 technology. Specially designed to achieve high tallies in good combing sheep. Performs straight from the packet.

Order number 714-107 Right hand

**Awesome Full thickness**

92 mm wide / Long bevel

Exceptional easy entry and returning a polished finish in the toughest fine wool.

Order number
714-051 Right hand

**Wicked Full thickness**

93,5 mm wide / Long bevel

Proven to provide high tallies in all types of fine woolled sheep.

Order number
714-042 Right hand

**B-Evil Run-In****LG2**

94,5 mm wide / Medium bevel

Versatile and efficient. Exceptional run-in entry and new LG2 technology. The B-Evil out performs all others in the widest variety of merino and cross-bred sheep.

Order number 714-130 Right hand

**Bad Run-in**

95 mm wide / Long bevel

The Bad enters tough shearing sheep with ease. Ideal choice for average shearing merinos. A versatile comb that lasts the distance.

Order number 714-097 Right hand

**Freestyle Revolution Run-In****LG2**

96 mm wide / Long bevel

Suitable for all types of fine wool

Order number
714-116 Right hand

SHEARING COMBS FOR FINE WOOL

Heiniger fine wool combs will withstand the harshest conditions, wherever you are shearing.

**Freestyle Full thickness**

96 mm wide / Long bevel
Designed to shear average to poor shearing Merinos fast.

Order number

714-057 Right hand | 714-087 Left hand

**Rebel Run-In****LG2**

92 mm wide / Long bevel
Features a sleek straight bottom rider with smooth bends to the top teeth. This comb includes the latest Heiniger LG2 technology.

Order number 714-086 Right hand

**Xpress Run-In**

93,5 mm wide / Long bevel
To use in the toughest shearing fine wool sheep. Performing straight from the packet.

Order number

714-061 Right hand

**Freak Run-In**

94,5 mm wide / Long bevel
Incorporating latest advancements in comb manufacturing.

Order number

714-085 Right hand | 714-120 Left hand

**Huge Run-In**

96 mm wide / Long bevel
To obtain extra high tallies in all fine wool types.

Order number

714-075 Right hand

ALL PURPOSE SHEARING COMBS


Heiniger all purpose combs designed for shearing open woolled Merinos and tough shearing crossbreds.

**Ovina Premium Standard****LG2**

77 mm wide / Medium bevel

Order number

714-117 Right hand and left hand


**Ovina Standard**

77 mm breit / Medium bevel

Multi purpose comb.

Order number

714-020 Right hand and left hand


**Topaz Full thickness**

84,5 mm breit / Medium bevel

To use in all types of wool and shearing conditions.

Order number

714-078 Right hand


**Rapier Full thickness**

86 mm breit / Long bevel

Easy entry in damp, sticky wool. A favourite in crutching cradles.

Order number

714-040 Right hand

**Reflex Full thickness**

94 mm breit / Medium bevel

Ideal for shearing open woolled Merinos and tough shearing crossbreds.

Order number

714-077 Right hand | 714-067 Left hand

**Pro Legend Full thickness**

92 mm breit / Medium bevel

Generally used in open fine wool type sheep.

Order number

714-031 Right hand

**Proflex Run-In**

94 mm breit / Medium bevel

Dramatic improvement in flow of the comb and leaving a perfect finish.

Order number

714-096 Right hand

WINTER AND COVER COMBS

Heiniger winter comb for all shearing all sheep types and leaving a good residual cover of wool.

**Blizzard Winter comb****LG2**

94,5 mm wide / Short bevel
Universal winter comb for shearing all sheep types. This comb includes the latest Heiniger LG2 technology.

Order number 714-060 Right hand

**Isobar Winter comb****LG2**

97,5 mm wide / Short bevel
Offering superior width of blow as well as an optimum entry and flow. This comb includes the latest Heiniger LG2 technology.

Order number 714-065 Right hand

**Highlander Winter comb****LG2**

97 mm wide / Medium bevel
Maximises tallies in open woolled and tougher cross-bred sheep. This comb includes the latest Heiniger LG2 technology.

Order number 714-066 Right hand

**Crusader Winter comb****LG2**


94,5 mm wide / Long bevel
Specifically designed for shearing the tighter woolled sheep types. This comb includes the latest Heiniger LG2 technology.

Order number 714-069 Right hand

SPECIAL COMBS

Selected combs to shear goats,
camelids and cattles.

Camelid shearing comb



Specially designed to shear llamas, alpacas, vicuñas, guanacos and camels. Leaves a cover of 6 to 10 mm of wool.

Order number

714-025 Right hand and left hand

Shattle clipping comb



To clip cattle on an electric or mechanical sharing handpiece with a standard cutter.

Order number

714-090 Right hand and left hand

Alpaca comb

LG2



94 mm wide / Medium bevel

Remaining fleece length after shearing 6–10 mm.

Order number

714-109 Right hand

Mohair Goat shearing comb



84,5 mm wide / Short bevel

Specifically intended to shear mohair goats.

Order number

714-080 Right hand

Mach 9 Cover comb



94 mm wide / Long bevel

Specially designed to shear in extra tough sheep.

Order number

714-071 Right hand | 714-074 Left hand

Slick Comb for sheep and goats



84,5 mm wide / Short bevel

Excellent flow of the comb, perfect finish.

Order number

714-115 Right hand and left hand

CUTTERS**Rock from the Box: Special sharp-edged.****Jet Full thickness cutter**

4,4 mm thick

The Jet provides maximum throw for extra wide combs.

Order number

714-010

**Diamond Run-In cutter**

3,7 mm thick

Uncompromised safety, superior entry into tight wool.

Order number

714-011

**Edge Full thickness cutter**

4,4 mm thick

More versatility due to wide throw and further reach on the comb.

Order number

714-151

**Xtreme Run-In cutter**

3,7 mm thick

Engineered to give high performance straight from the box.

Order number

714-152

**Storm Ultra thickness cutter**

4,6 mm thick

The preferred cutter for all winter combs.

Order number

714-150

**Ceramic-Cutter**

Suitable for lama and alpaca shearing. Can only be used in combination with Camelid comb. Not compatible with Alpaca comb. Can only be ground on diamond grinding wheel.

Order number 714-161

ACCESSORIES

Heiniger offers a comprehensive range of shearing accessories.

STROP AND SHINE KIT

Comb polishing.

Order number

985-022



COMB POUCH FELT

Sheep comb case with 6 or 9 felted pockets.

Order number

985-045

Comb pouch with
6 felt pockets

985-046

Comb pouch with 9
felt pockets



SHEARERS COMB BRUSH

A very useful brush for removing sticky grease from combs.

Order number

701-653



LIFTER

Lifter for wide combs.

Order number

714-099



SCREWDRIVER

Octagonal handle provides excellent grip with longer blades for better tensioning.

Order number

701-646



CLIPPER OIL

Specially developed non toxic clipper oil increases performance, reduces friction and enhances blade life.

Order number

701-647 Dispenser bottle 100ml

707-102 Refill bottle 500ml



World leading manufacturer of animal shearing and clipping equipment

– Heiniger AG –

Animal Shear





«Heiniger tools are Handy, robust and durable – this is what we like about them. We also appreciate the competent, hassle-free and quick customer service.»

– Ruegruet Holsteins –



Achievements

World Dairy Expo Madison: 1st ranks & further podium places
Swiss Expo Lausanne: Countless podium places



Cattle and horse clipper



XPERIENCE2

HIGHSPEED WITH 2600/2900 DOUBLE STROKES

LIGHT, SLIM AND EXTREMELY HANDY

VERY QUIET

RESISTANT AND DURABLE

NO ANNOYING AIR LEAK

Maximum speed of 2900 double strokes per minute and a powerful motor to shear cattle and horses quickly and without any effort. Low vibration level thanks to the absolutely unique connection between shearing head and fibreglass-reinforced housing.

Order number

708-020 230V EU/CH
708-021 230V GB

New

Available from
autumn 2019

2-SPEED



YouTube Link | **Video**

Clipping video Xperience



Specifications

Motor power: 250 watts
Speed: 2600/2900 Dbs/min | Length: 301 mm
Weight: 1 180g | Noise emission (LpAm): 68 dB (A)

Cordless clipper for cattle and horse



XPLORER

NO MEMORY EFFECT ON BATTERY SYSTEM**RUNTIME UP TO 120 MIN****EXTREMELY SILENT & LIGHTWEIGHT**

The cordless clipper Xplorer is equipped with Li-Ion battery technology. This allows up to two-hour cordless clipping time with increased flexibility and portability. This X-Series clipper is very powerful, ergonomic and quiet. Through the unique double tooth gear, the power is transmitted optimally from the motor to the clipping head. The practical LED display on the charger unit indicates the current charging level of the battery.

**Order number**

708-400 EU/CH
708-401 GB
708-403 US

Specifications

Battery: 10,8 Volt Lithium-Ion, 2,6Ah | Speed: 2450 Dbs/min | Length: 300 mm
Weight: 990 g | Noise emission (LpAm): 65 dB (A) | Charging time: 60–70 Minuten

BATTERY CHARGER XPLORER

Order number

708-550 Charger Xplorer



SPARE LI-ION BATTERY XPLORER

Order number

708-520



POWER SUPPLY & PLUG

Order number

708-590.EU
708-590.GB
708-590.US





Cattle and horse clipper

DELTA3

3 CLIPPING SPEEDS

The first cattle and horse clipper on the market to offer three clipping speeds, allowing simple, powerful and comfortable clipping even under the toughest conditions.


Order number

707-000	230V	EU/CH
707-001	230V	GB
707-003	120V	US



Specifications

Motor power: 180 watts | Speed: 2 100/2800/3200 Dbs/min | Length: 310 mm
Weight: 1320 g | Noise emission (LpAm): 72/75/78 dB (A)



Cordless battery clipper

SAPHIR

**VERY LIGHT AND PERFECTLY
BALANCED**

EXTREMELY POWERFUL

QUIET

HIGH-PERFORMANCE LI-ION BATTERY

**UP TO 120 MINUTES OF
CLIPPING TIME**

The perfect clipper for partial cattle clipping and cow styling. Supplied in a handy and resistant carrying case. Large selection of replaceable clipping heads compatible with Andis, Moser, Oster and Wahl clippers.

Order number

707-800	230V	EU/CH
707-801	230V	GB
707-803	120V	US

Specifications

Motor power: 35 watts | Speed: 2650 Dbs/min | Dimensions L x W x H: 204 x 50 x 41 mm
Weight incl. battery: 425 g | Battery voltage: 7,4 V | Battery capacity: 1600 mAh | Charging time: 60 Minutes



**Quiet, ergonomic, light yet
powerful equipment to ensure the
best possible results.**

– Heiniger AG –



Historical post coach at the Gotthardpass

Cordless clipper for cattle and horse



XPLORER

NO MEMORY EFFECT ON BATTERY SYSTEM

RUNTIME UP TO 120 MIN

EXTREMELY SILENT & LIGHTWEIGHT

The cordless clipper Xplorer is equipped with Li-Ion battery technology. This allows up to two-hour cordless clipping time with increased flexibility and portability. This X-Series clipper is very powerful, ergonomic and quiet. Through the unique double tooth gear, the power is transmitted optimally from the motor to the clipping head. The practical LED display on the charger unit indicates the current charging level of the battery.

Order number

708-400 EU/CH

708-401 GB

708-403 US



YouTube Link | **Video**
Clipping video Xplorer



Specifications

Battery: 10,8 Volt Lithium-Ion, 2,6Ah | Speed: 2450 Dbs/min
Length: 300mm | Weight: 990g | Noise emission (LpAm): 65dB (A)
Charging time: 60–70 Minutes

Horse clipper



PROGRESS

ELECTRONIC OVERLOAD SAFETY SWITCH

LIGHTWEIGHT – ONLY 930 G

NO DISTRACTING ESCAPING AIR

With a slim grip, lightweight and quiet operation, Progress is the best solution to clip nervous horses. With an innovative permanent magnet motor. Now more powerful and quieter.



Order number

707-500 230V EU/CH
707-501 230V GB
707-503 120V US

Specifications

Motor power: 80 watts | Speed: 2200 Dbs/min
Length: 280mm Weight: 930 g | Noise emission (LpAm): 70 dB (A)

Horse clipper



PROGRESS STYLE

ELECTRONIC OVERLOAD SAFETY SWITCH

TRENDY DESIGN

WEIGHING ONLY 930 G

LATEST ELECTRONIC TECHNOLOGY

NO DISTRACTING ESCAPING AIR

The horse clipper Progress Style in a trendy design. Equipped with the latest electronic technology, the Progress Style horse clipper is now even more powerful and even quieter than ever. Weighing in at only 930 grams, it has an impressive slim ergonomic handle making the Progress a popular choice for people whom wish to clip their own few horses at a time that suits them.



Order number

707-516 230V EU/CH
707-517 230V GB
707-519 120V US

Specifications

Motor power: 80 watts | Speed: 2200 Dbs/min | Length: 280mm
Weight: 930 g | Noise emission (LpAm): 70 dB (A)

Cordless battery clipper



SAPHIR STYLE

EXTREMELY POWERFUL

QUIET

VERY LIGHT AND PERFECTLY BALANCED

HIGH-PERFORMANCE LI-ION BATTERY

UP TO 120 MINUTES OF CLIPPING TIME

The perfect clipper for partial horse clipping and horse styling – particularly suitable for sensitive animals. Large selection of replaceable clipping heads compatible with Andis, Moser, Oster and Wahl clippers.



Order number

707-750 230V EU/CH
707-751 230V GB
707-753 120V US

Specifications

Motor power: 35 watts | Speed: 2650 Dbs/min
Dimensions L x W x H: 204 x 50 x 41 mm | Weight incl. battery: 425 g
Battery voltage: 7,4V | Battery capacity: 1600mAh | Charging time: 60 Minutes

Cordless battery clipper



SAPHIR

VERY LIGHT AND PERFECTLY BALANCED

EXTREMELY POWERFUL

QUIET

HIGH-PERFORMANCE LI-ION BATTERY

UP TO 120 MINUTES OF CLIPPING TIME

The perfect clipper for partial horse clipping and horse styling. Supplied in a handy and resistant carrying case. Large selection of replaceable clipping heads compatible with Andis, Moser, Oster and Wahl clippers.



Order number

707-800 230V EU/CH
707-801 230V GB
707-803 120V US

Specifications

Motor power: 35 watts | Speed: 2650 Dbs/min
Dimensions L x W x H: 204 x 50 x 41 mm | Weight incl. battery: 425 g
Battery voltage: 7,4V | Battery capacity: 1600mAh | Charging time: 60 Minutes

«These clippers especially convinced me and my whole team by their light weight and their power. Now to clip our horses we exclusively use Heiniger tools.»

– Michael Jung –

Eventing achievements

Olympic champion (2012 London: individual and team gold medal), Olympic champion (2016 Rio de Janeiro: individual gold medal and team silver medal), Grand Slam winner after winning the 4* competitions (2016 Burghley, Lexington and Kentucky)

Showjumping achievements

Wins and placements up to S5*



CATTLE AND HORSE BLADES

Made from high quality blade steel and finished with a special grinding process. The design and applied hollow grind ensures a long lasting optimum cut.

**STANDARD CATTLE BLADE SET**

Suitable for dirty coats. For use with cattle clippers. Coat length after clipping 2–4 mm.

Order number: 703-300 Bottom blade 21, 703-220 Top blade 23, 703-520 Set 21/23

**18/23 TOUGH BLADE SET**

Special blade for clipping very dirty coats. Coat length after clipping 2–4 mm.

Order number: 703-370 Bottom blade 18, 703-220 Top blade 23, 703-690 Set 18/23

**18/15 THICK COAT BLADE SET**

For cattle breeds with a thick long or frizzy coat. Coat length after clipping 2–4 mm.

Order number: 703-370 Bottom blade 18, 703-200 Top blade 15, 703-700 Set 18/15

**STANDARD HORSE BLADE SET**

Suitable for clean coats. Coat length after clipping 2–4 mm.

Order number: 703-310 Bottom blade 31, 703-200 Top blade 15, 703-530 Set 31/15

**FINE HORSE BLADE SET**

For a perfect finish. Coat length after clipping 1–2 mm.

Order number: 703-320 Bottom blade 31F, 703-200 Top blade 15, 703-560 Set 31F/15

**SURGICAL USE BLADE SET**

Coat length after clipping 1 mm.

Order number: 703-350 Bottom blade 53, 703-220 Top blade 23, 703-670 Set 53/23

**STANDARD HORSE BLADE SET**

Suitable for clean coats. Coat length after clipping 2–4 mm.

Order number: 703-310 Bottom blade 31, 703-220 Top blade 23, 703-550 Set 31/23

**FINE HORSE BLADE SET**

For a perfect finish. Coat length after clipping 1–2 mm.

Order number: 703-320 Bottom blade 31F, 703-220 Top blade 23, 703-580 Set 31F/23

**HORSE / COW STYLING BLADE SET**


Coat length after clipping 2–4 mm.

Order number: 703-330 Bottom blade 35, 703-210 Top blade 17, 703-600 Set 35/17

**HORSE / COW STYLING BLADE SET**

To clip close the skin. Coat length after clipping 1–2 mm.

Order number: 703-340 Bottom blade 35F, 703-210 Top blade 17, 703-630 Set 35F/17




**Our powerful, light and quiet
cordless clippers have become
a must-have tool for all profes-
sional groomers working with
small animals**

– Heiniger AG –

Cordless battery clipper

SAPHIR STYLE



EXTREMELY POWERFUL

QUIET

VERY LIGHT AND PERFECTLY BALANCED

ELEGANT, CLASSIC DESIGN

HIGH-PERFORMANCE LI-ION BATTERY

UP TO 120 MINUTES OF CLIPPING TIME

Large selection of replaceable clipping heads compatible with Andis, Moser, Oster and Wahl clippers.

Order number

707-750	230V	EU/CH
707-751	230V	GB
707-753	120V	US



YouTube Link | **Video**
Grooming-Video



Specifications

Motor power: 35 watts | Speed: 2650 Dbs/min
Dimensions L x W x H: 204 x 50 x 41 mm | Weight incl. battery: 425 g
Battery voltage: 7,4V | Battery capacity: 1600mAh | Charging time: 60 Minutes

Trimmer



STYLE MIDI

- VERY QUIET, MINIMAL VIBRATIONS
- FEATHER-LIGHT WEIGHT OF JUST 240 G
- BATTERY- OR MAINS-OPERATED
- 100 MINUTES OF CLIPPING TIME
- 60 MINUTES OF CHARGING TIME

This trimmer is used on dogs’ coats for partial clipping and contour clipping in the areas of the head, legs, belly and tail. The adjustable and foldable clipping head ensures a continuous adjustment of the cutting length, from 0.5 to 2.5mm. The product is delivered together with 5 snap-on combs with cutting lengths of 4, 8, 12, 16 and 20 mm. Compatible with Wahl snap-on combs. Thanks to the cable adapter provided, the device may be connected at any time to a 230V mains supply.



Order number

707-200 240V EU/CH
707-201 240V GB

4 cutting lengths: 0,5–2,5mm | 5 snap-on combs: 4, 8, 12, 16, 20 mm | Speed: 4800 Dbs/min
Dimensions L x W x H: 175 x 46 x 50 mm | Weight: 240 g | Charging time: 60 Minutes

StyleMidi blade set

Order number
707-260

Specifications

Trimmer



STYLE MINI

- VERY QUIET, MINIMAL VIBRATIONS
- FEATHER-LIGHT WEIGHT OF JUST 120 G
- 80 MINUTES OF CLIPPING TIME
- 60 MINUTES OF CHARGING TIME

The Style Mini allows you to shear with extreme precision your dog’s paws, eyes and tail. The adjustable snap-on comb ensures a cutting length ranging from 3 to 6 mm. This trimmer is particularly suitable for final styling. After use, the clipping head can be easily cleaned.



Order number

707-210 240V EU/CH
707-211 240V GB

Cut length: 0,3mm | Adjustable snap-on comb: 3–6mm | Speed: 5500 Dbs/min
Dimensions L x W x H: 146 x 30 x 38mm | Weight: 120 g | Charging time: 60 Minutes

StyleMini blade set

Order number
707-265

Specifications

Cordless battery clipper



SAPHIR BASIC

New

THE PERFECT CHOICE FOR BEGINNERS

EXTREMELY POWERFUL

VERY LIGHT & QUIET

UP TO 120 MINUTES OF CLIPPING TIME

The Basic model offers a basic version of the Saphir clipper, and is particularly suitable for beginners with a limited budget. Even this model ensures the impeccable quality and unprecedented performance level for which Heiniger products are famous. The package includes a rechargeable battery, a charging station with a charging bay, the standard #10 blade and the usual product care tools. Large selection of replaceable clipping heads compatible with Andis, Moser, Oster and Wahl clippers.

Order number

707-300 230V EU/CH
707-301 230V GB
707-303 120V US

Motor power: 35 watts | Speed: 2650 Dbs/min | Dimensions L x W x H: 204 x 50 x 41 mm
Weight incl. battery: 425 g | Battery voltage: 7,4 V | Battery capacity: 1600 mAh | Charging time: 60 Minutes

Battery charger

Order number

707-320

Specifications

Cordless battery clipper



SAPHIR

VERY LIGHT AND PERFECTLY BALANCED

EXTREMELY POWERFUL

QUIET

HIGH-PERFORMANCE LI-ION BATTERY

UP TO 120 MINUTES OF CLIPPING TIME

Large selection of replaceable clipping heads compatible with Andis, Moser, Oster and Wahl clippers.

Order number

707-800 230V EU/CH
707-801 230V GB
707-803 120V US

Specifications

Motor power: 35 watts | Speed: 2650 Dbs/min
Dimensions L x W x H: 204 x 50 x 41 mm | Weight incl. battery: 425 g
Battery voltage: 7,4 V | Battery capacity: 1600 mAh | Charging time: 60 Minutes



«My favorite clipper is the Saphir. It's extremely powerful, very light and quiet – just perfect for creative use!»

– Kitty Dekeersgieter –

Achievements

World Champion Poodle Groomer
International Groomer of the Year

Cordless battery clipper



SAPHIR PINK

EXTREMELY POWERFUL

VERY LIGHT & QUIET

UNIQUE DESIGN

UP TO 120 MINUTES OF CLIPPING TIME

Large selection of replaceable clipping heads compatible with Andis, Moser, Oster and Wahl clippers.



Order number

707-730	230V	EU/CH
707-731	230V	GB
707-733	120V	US

Specifications

Motor power: 35 watts | Speed: 2650 Dbs/min | Dimensions L x W x H: 204 x 50 x 41 mm
Weight incl. battery: 425 g | Battery voltage: 7,4V | Battery capacity: 1600mAh | Charging time: 60 Minutes

Clipper with cord



SAPHIR CORD

CORD CLIPPER WITH 3-M CABLE

VERY POWERFUL

AS SWIFT AS AN ARROW WITH
3200 DOUBLE STROKES

VERY LIGHTWEIGHT

The 3-metre long cable ensures a wide operating radius. The cord clipper is also extremely handy, and thanks to its 3200 double strokes it proves even faster than Saphir cordless devices. Large selection of replaceable clipping heads compatible with Andis, Moser, Oster and Wahl clippers.



707-720
Adapter Saphir Cord
(Fitting all Saphir models)

Order number

707-700	230V	EU/CH
707-701	230V	GB
707-703	120V	US

Specifications

Motor power: 35 watts | Speed: 3200 Dbs/min
Dimensions L x W x H: 204 x 50 x 41 mm | Weight: 330 g | Length: 3 m

SMALL ANIMAL BLADES

Heiniger SAPHIR clipper blades are compatible with clippers from Andis, Moser, Oster and Wahl.

**#50/0,2 mm**

VET

Order number: 707-905

**#9/2,0 mm**

Dog Horse Cow

Order number: 707-933

**#40/0,25 mm**

VET

Order number: 707-910

**#8,5/2,8 mm**

Dog

Order number: 707-941

**#30/0,5 mm**

VET Cat Dog

Order number: 707-917

**#7/3,2 mm**

Dog

Order number: 707-943

**#15/1,2 mm**

Cat Cow

Order number: 707-926

**#7F/3,2 mm**

Dog

Order number: 707-945

**#10/1,5 mm**

Cat Dog Cow

Order number: 707-930

**#5/6,3 mm**

Dog

Order number: 707-957

SMALL ANIMAL BLADES

Heiniger SAPHIR clipper blades are compatible with clippers from Andis, Moser, Oster and Wahl.

**#5F/6,3 mm**

Dog

Order number: 707-960

**#4/9,5 mm**

Dog

Order number: 707-964

**#4F/9,5 mm**

Dog

Order number: 707-966

**# 5/8/0,8 mm**

Cat Dog

Order number: 707-920

**#10W/2,3 mm**

Horse Cow

Order number: 707-974



SNAP-ON COMB

Order number

707-981	Snap-on comb	1/16"	(2mm)
707-982	Snap-on comb	1/8"	(4mm)
707-983	Snap-on comb	1/4"	(8mm)
707-984	Snap-on comb	1/2"	(14mm)
707-985	Snap-on comb	3/4"	(18mm)
707-986	Snap-on comb	1"	(25mm)
707-987	Snap-on comb	1 1/4"	(32mm)
707-980	Set		

The Snap-on comb are only compatible with the blades 50, 40, 30, 15 and 10.

CHARGER SAPHIR

Order number: 707-822A



BATTERY SAPHIR

Order number: 707-771



**With our accessories you can
exploit the full potential of our
products.**


– Heiniger AG –



Alpaca in the mountains

Grinder

EASYGRINDER

**SIMPLE TO ADJUST AND HANDLE****A SIMPLE BUT PRECISE FIXED HEAD****ALUMINIUM PENDULUM TO GRIND SHEARING COMBS AND CUTTERS**

Powerful but lightweight grinder that's truly portable. The Heiniger EasyGrinder, the simplest way to grind your shearing combs and cutters. Made in Switzerland. Comes complete with: aluminum disc, «Easy pendulum», self-adhesive emery paper 60 grit, guide sleeve, protective safety eye and ear wear, instruction manual.

Order number

718-200.A	EasyGrinder	230V/370W	EU
718-200.B	EasyGrinder	230V/370W	CH
718-200.C	EasyGrinder	230V/370W	GB
718-202	EasyGrinder	120V/370W	US



Self-adhesive emery paper, medium K60

Order number: 718-251

Specifications

Electric: 0,37kW / 230–240V / 50Hz / 2,6A | Speed: 1 420 U/min
 Dimensions: Height 740mm with cross arm / 475mm without cross arm
 Width 400mm / depth 320mm | Weight: 23kg | Ø disc: 370mm

Professional grinder



ACUTECC

Put the finishing touches to your sheep combs and top blades. The new, sophisticated Arc Radius Technology ensures better results and puts the finishing touches to your sheep combs and top blades. The optimised, longer rod ensures a uniform oscillation, which in turn allows you to achieve ever more homogeneous hollow grinding results. The scope of delivery includes 2 precision grinding discs, clamping plate, precision grinding pendulum, clamping screw and Heiniger grinding paper.

Order number

719-301 Euro Acutecc 230V/1100W EU/CH
719-302 Euro Acutecc 230V/1100W GB



Specifications

Motor power: 1,1 kW/230–240 V/50 Hz/7,5 A
MotorSpeed: 2800 U/min
Dimensions (H x W x D): 760 x 425 x 425 mm
Folded down height: 480 mm
Weight: 34 kg
Ø disc: 370 mm

SHARPENING PENDULUM

This quality controlled precision sharpening pendulum is supplied in an aluminium storage carry case, complete with a new sharpening technique chart, two handles and protective safety eye and ear wear.

Order number 719-032



EMERY PAPERS

Order number

719-011 Coarse/grit40/combs
719-012 Fine/grit 80/cutters



LATEX GLUE

Order number

719-013 Latex Glue, 250 ml



EMERY PAPER PREMIUM

Order number

719-288 for cutters (GT888)
719-299 for combs (GT999)



PRECISION RULER

Order number

718-001



Grinder



COMBI-GRINDER

COMFORTABLE AND EASY

Grinds cattle, horse and pet clipper blades. Never before has grinding been so simple! Professional results with comfort and ease. The CombiGrinder package has everything you need included – simply unpack and start grinding! Incl. 1 grinding paste coarse, 1 precision ruler, 1 grinding holder for flat clipper blades, 1 instruction manual. Previous knowledge must be available. Only for skilled staff.

Order number

Cattle/Horse:

718-050.A 230V EU
718-050.C 230V GB
718-051.A 120V US



Pet:

718-050.A-Pet 230V EU
718-050.C-Pet 230V GB
718-051.A-Pet 120V US

The CombiGrinder is not available in Switzerland!



Specifications

Electric: 230V/50Hz/0,37kW/2,6A, 120V/60Hz/0,37kW/5,0A
Speed: 1420 U/min at 230V/1700 U/min at 120V
Dimensions: Width 430mm/depth 400mm
height 330mm | weight: 21,6kg | Ø disc: 352mm

ACCESSORIES CATTLE / HORSE

Order number

718-010 Disc cattle/horse



Order number

715-210 grinding paste fine, 440g
715-220 grinding paste coarse, 510g
718-001 Precision ruler
718-003 Grinding holder for flat blades



ZUBEHÖR PET

Order number

718-040 Disc Pet



Order number

718-130 Grinding powder, 2 kg



ACCESSORIES

Heiniger offers a comprehensive range of shearing accessories.

RUBBER RINGS AND COLLET

Extremely tear-resistant rubber rings.

Order number

201-000 Rubber rings for collet

201-100 Special rubber rings,
100-piece pack

201-110 Special rubber rings,
500-piece pack



HAND SHEARS

Quality hand shears for sheep.

Blade length 13 cm, total length 29 cm.

Order number

734-005



TALLY COUNTER 0–9999

Push button operation, chrome plated with instant reset.

Order number

523-000



BLACK MAGIC SHEARING JEANS

Original Shearing Jeans.

Order number

985-001



SHEARERS SINGLET

Extra long, to protect your back.

Order number

985-000



MOCCASINS

Leather.

Order number

985-002



HEINIGER

Sales and after sales support

The parent company is located in Herzogenbuchsee in Switzerland, with subsidiaries in Australia and New Zealand. In over 50 countries throughout the world, Heiniger products are represented by qualified sales partners. They receive regular training so that they can advise customers about current product information. After-sales service is priority for the Heiniger Company.

For more tips and tricks as well as care instructions, check our Youtube Channel or our website.



Team Heiniger AG Switzerland

Brands Heiniger Australia

- TPW:** The world's #1 woolpress
Elastrator: The leading stockbreeding brand
MAC: Ability to identify the rutting season and animal husbandry skills
SiRo-Mark: Your top partner for animal marking

SI RO MARK

MAC

Elastrator



Image sources

Unsplash: Tim Trad, Envelope **TOMsPiC:** Page 36

Adobe Stock: S. 3 top and bottom, 8 and 9, 46 and 47 **Shutterstock:** S. 2, 3 center, 6, 32 and 33, 38 and 39



Heiniger AG

Industrieweg 8
3360 Herzogenbuchsee
Switzerland

+41 (0)62 956 92 00
marketing@heiniger.com
www.heiniger.com

