

05

technology  
with  
an  
edge...

**ker**

**K**

**N**

**I**

we live by it!



# CUSTOM KNIFE

## Designers



### Ken Onion,

Master of his trade, Ken Onion, is one of the most-sought-after custom knife-makers in the industry. His custom knives can be found in the most prestigious private knife collections as well as in the pockets of his world-wide following.

When Ken was 5 years old he received his first knife. It was a cheap brand that his dad brought home from work and after grinding off the point and making it as dull as possible he gave it to Ken. Of course, this wasn't going to work and after countless hours of hard work on the sidewalk Ken managed to restore the point and cutting edge, only to have his dad confiscate it, scold him, and make it dull again.

Ken's early years were spent in Wellington, Ohio and Rochester, New York. At age 12 his family moved to Palestine, West Virginia to a 213-acre farm where a teenage Ken Onion was inspired by Vernon Ott, blacksmith and maker of garden tools and knives. In 1981 Ken graduated from high school, joined the United States Marine Corps and became a F4 Phantom mechanic for VMFA 212 out of Kaneohe Marine Corps Air Station, marking the beginning of

Ken's quest to design the perfect knife. While stationed in Hawaii, Ken worked part time for Advance Aviation, restoring vintage aircraft. Since leaving the Corps in 1985 Ken has worked in various fields from construction, heavy equipment repair, to hydraulics repair. In 1987 Ken moved to Anderson, South Carolina where he worked with robotics and automation for the Robert Bosch Corporation. After two years Ken was hired by BHP Petroleum, Hawaii where he was a machinist and inspector. While shopping with his wife, Ken saw his first knife magazine, and after reading it from cover to cover, realized he wasn't the only enthusiast with a passion for knives. He subscribed to every knife magazine and annual available and became consumed by the knife craft. In November 1991 Ken met Stan Fujisaka, a very talented knife-maker who agreed to teach Ken the art of knife making.

After years of preparation—and some inspiration while working on a Harley cam for a friend—Ken created his first Speed-Safe knife. Today, Ken designs a custom selection of knives for Kershaw, many featuring the patented Speed-Safe torsion bar system for assisted opening. His personal involvement throughout the design and manufacturing process ensures each Speed-Safe knife meets his high standards for performance and quality.

### Launce Barber,

Launce Barber comes from a long-line of engineers, builders and tinkers. Even before he graduated from college, he became involved in the sporting goods industry by managing a successful sporting goods store. Nevertheless, he still felt the call to create tools of his own. So he founded Elemental Tools, LLC to focus on product design and engineering—mainly multi-tools, knives, and other outdoor gear and unique tools. Eventually, he joined forces with Kershaw Knives. He is the designer of Kershaw's one-of-a-kind National Geographic Carabiner Tool. Launce appreciates the engineering and production excellence with which Kershaw brought his Carabiner Tool design to life. He looks forward to continuing to work with Kershaw on other equally innovative products.

### Frank Centofante,

With more than 30 years as a custom knife maker, Frank Centofante is one of the true masters. In fact, Frank grew up in the knife business, learning the art from his father, Anthony Centofante, who spent 50 years with the Imperial Knife Company of Providence, Rhode Island. Frank has received recognition not only as a member of Blade Magazine's Cutlery Hall of Fame, but also as a recipient of the prestigious Knife-makers Guild's Red Watson Award. In addition, Frank has been a member of the Knife-makers Guild for 20 years and served on its Board of Directors for eight of those years. He is especially known for his handsome lock back and liner lock knives. With their precise attention to detail—such as color matched liners and scale material—Frank's knives are acknowledged as high-level examples of functional art.

### Tom Veff,

For custom knife-maker, Tom Veff, it all began at age nine when he began sharpening knives door-to-door to earn money for a bicycle. He found he had a natural talent for sharpening and he developed a life-long love for knives. After a career as a commercial knife expert in the meat industry, he established his own knife sharpening business in Oregon. There, he not only sharpened knives, he also began customizing and designing them. Today, Tom's knives are known for comfortable use, extreme efficiency, and task-specific performance.

## On the Cover

Kershaw's classic logo, shown here in three parts, signifies the three-part relationship Kershaw enjoys with its parent company,

KAI Corporation of Japan, with its customers and employees, and the future. As a demonstration of its commitment to the future, Kershaw recently moved into a new, 42,500 square-ft. facility in Oregon's beautiful Tualatin Valley, just minutes south of Portland. The new building houses Kershaw's main offices, state-of-the-art manufacturing plant, and its secure warehousing and shipping operations.

## Stay Safe Carry Your Pocket Clip Knife Correctly

The right way to carry your knife with a pocket clip is shown in the

illustration to the right. The knife fits at the bottom of your pocket with the clip to the outside.

NEVER clip the knife to your belt. Carried on the belt, the knife could get bumped so that the blade accidentally deploys. Stay safe. Clip the pocket clip to your pocket.

## How Safe is SpeedSafe?

Very. SpeedSafe technology is designed to be safe and secure. The blade opens ONLY when the user manually deploys it using either the thumb stud or Index-Open protrusion. Once deployed, a locking liner secures the blade in position so that it cannot close accidentally. When releasing the lock, the blade does not snap shut due to resentence provided by the torsion bar. This bar also provides a bias towards the closed position (which holds the blade securely closed). New SpeedSafe users can ensure safe use of the technology by practicing to proficiency.





# SPEEDSAFE Questions & Answers

## What is SpeedSafe?

SpeedSafe® is the patented, assisted-opening system built into many of Kershaw's best-selling Ken Onion knives. SpeedSafe assists the user to smoothly open the knife with a manual push on the blade's thumb stud or Index-Open system. (Index-Open uses a protruding portion of the blade's finger guard to give the user an alternative to the

thumb stud. The user manually pulls back on the protrusion with the index finger to open the blade.)

## Who are our SpeedSafe customers?

SpeedSafe was specifically designed for sporting and work situations where one-handed opening is preferable and safer. Its safe, efficient opening has made it a popular choice for hunters, fishermen, and those who require the one-hand opening function on the job-site.

## How does SpeedSafe work?

The heart of the SpeedSafe system is its torsion bar. Closed, the torsion bar helps keep the knife closed, preventing it from being opened by "gravity." In order to open the knife, the user must apply manual pressure to the thumb stud to overcome the resistance of the torsion bar. After the blade is out of the handle, the torsion bar moves along its half-moon track and takes over. The blade opens smoothly and locks into position, ready for use.

## How Safe is SpeedSafe?

Very. SpeedSafe technology is designed to be safe and secure. The blade opens ONLY when the user manually deploys it using either the thumb stud or Index-Open protrusion. Once deployed, a locking liner secures the blade in position so that it cannot close accidentally. When releasing the lock, the blade does not snap shut due to resistance provided by the torsion bar. This bar also provides a bias towards the closed position (which holds the blade securely closed). New SpeedSafe users can ensure safe use of the technology by practicing to proficiency.

## Is a SpeedSafe knife a switchblade? NO!

There are many unique features of SpeedSafe knives that make them quite different than knives that are considered switchblades. Unlike a switchblade, SpeedSafe blades **DO NOT** deploy with the push of a button in the handle or by gravity alone. Instead, the user must manually overcome the torsion bar's resistance—using the thumb stud or Index-Open protrusion on the blade itself—in order to engage the SpeedSafe system. Because the user must manually overcome the torsion bar's resistance, SpeedSafe knives fall fully outside the Federal definition of a switchblade. However, due to the complexity and constantly changing nature of these laws and regulations, it is impossible for Kershaw Knives to be aware of every restriction in every location in which our knives are sold or carried. It is the responsibility of the buyer to investigate and comply with the laws and regulations that apply in his or her specific area. At Kershaw, we are proud to be able to offer this convenient, secure technology.

**SPEEDSAFE®**  
TECHNOLOGY WITH AN EDGE

Kershaw Onion knives are covered by US Patent Numbers:  
5,802,722 • 6,145,202 • 6,338,431

# KEN ONION DESIGNS

with SpeedSafe®



## BABY BOA

### Model 1585BR

Steel.....440A stainless-steel  
with high polish finish  
Handle...6061-T6 anodized aluminum  
with smoked finish  
Blade.....2 in. (5.1 cm)  
Closed...2 3/4 in. (7.0 cm)  
Weight...1.7 oz.



## CENTOFANTE-ONION

### Model 1610

Steel.....440A stainless-steel  
Handle...6061-T6 anodized aluminum  
Blade.....2 1/4 in. (5.7 cm)  
Closed...3 1/8 in. (7.9 cm)  
Weight...1.6 oz.  
Includes pocket clip



## CENTOFANTE-ONION

### Model 1615

Steel.....440A stainless-steel  
Handle...410 polished stainless-steel with  
Tungsten DLC coating & Pearl inlays  
Blade.....2 1/4 in. (5.7 cm)  
Closed...3 1/8 in. (7.9 cm)  
Weight...2.4 oz.  
Includes leather sheath with clip



## MINI MOJO

### Model 1800

Steel.....440A stainless-steel  
Handle...410 stainless-steel  
with G-10 insert  
Blade.....2 3/8 in. (6.1 cm)  
Closed...3 1/2 in. (8.9 cm)  
Weight...3.1 oz.  
Includes NEW patented  
**STUD-LOCK™**

## NEW for 2005

Knife maker's Hall of Fame member, Frank Centofante, joins Ken Onion and Kershaw to bring you two new folding knives that provide both elegance and function-plus the leading technology you expect from Kershaw. The new Models 1610 and 1615 (with genuine pearl inlay) combine Centofante style, including lightweight aluminum scales and 410 stainless-steel, with Kershaw's Ken Onion SpeedSafe assisted opening technology. The results are knives that handle the tough tasks and look good doing it.

Also new in 2005 are Ken Onion's Baby Boa and Mini Mojo. The Baby Boa mirrors the lines of the larger Boa but offers something special of its own. A unique cutaway in the handle exposes the SpeedSafe torsion bar to give you a unique glimpse at the inner workings of the system. The Mini Mojo combines SpeedSafe with our newly patented Stud Lock. Stud Lock offers superb locking, yet is easy to release when you're ready to secure the blade back into the handle. All four new knives are superb examples of the Knife maker's art and Kershaw's forward-thinking technology.

**SPEEDSAFE®**  
TECHNOLOGY WITH AN EDGE  
Feature  
Products



### Presentation-Ready Chives & Rainbow Leek

Kershaw is proud to offer a selection of its award-winning knives in special gift cases. The pocket-sized Chives come ready for presentation in our embossed gift tins,

while the larger Rainbow Leek comes in a soft, zippered case. Both Chives and Leek feature SpeedSafe and the versatility of both thumb-stud and Index Open for truly ambidextrous opening. In addition each knife features a unique finish.

The Rainbow Chive and Leek offer our dramatic scratch-resistant, rainbow titanium-oxide coating. The Black Chive is Boron carbide coated, and the Polished Chive is sleek and simple stainless steel polished to a high luster.

#### RAINBOW CHIVE

##### Model 1600VIB

Steel.....420HC stainless-steel  
titanium-oxide coated  
Handle...410 stainless-steel  
titanium-oxide coated  
Blade.....1 15/16 in. (4.9 cm)  
Closed...2 7/8 in. (7.3 cm)  
Weight...1.9 oz.  
Includes gift tin


#### POLISHED CHIVE

##### Model 1600SS

Steel.....420HC stainless-steel  
highly polished  
Handle...410 stainless-steel  
highly polished  
Blade.....1 15/16 in. (4.9 cm)  
Closed...2 7/8 in. (7.3 cm)  
Weight...1.9 oz.  
Includes gift tin

#### Tip Safety Lock

*The tip lock available on many of the Ken Onion SpeedSafe models provides added security to assure that the blade will not deploy while clipped into your pocket.*



#### BLACK CHIVE

##### Model 1600BLK

Steel.....420HC stainless-steel  
Boron-coated  
Handle...410 stainless-steel  
Boron-coated  
Blade.....1 15/16 in. (4.9 cm)  
Closed...2 7/8 in. (7.3 cm)  
Weight...1.9 oz.  
Includes gift tin

## 2001

Blade Magazine  
American-Made  
Knife of the  
Year

#### RAINBOW LEEK

##### Model 1660VIB

Steel.....440A stainless-steel  
titanium-oxide coated  
Handle...410 stainless-steel  
titanium-oxide coated  
Blade.....3 in. (7.5 cm)  
Closed...4 in. (10.3 cm)  
Weight...3.1 oz.  
Includes soft zipper case

## 2002

Blade Magazine  
Overall Knife of  
the Year



# KEN ONION DESIGNS

with SpeedSafe®

**SPEEDSAFE®**  
TECHNOLOGY WITH AN EDGE



## CHIVE

### Model 1600

Steel.....420HC stainless-steel  
Handle...410 stainless-steel  
Blade.....1 15/16 in. (4.9 cm)  
Closed...2 7/8 in. (7.3 cm)  
Weight...1.9 oz.



## Frame Lock

*Locks the blade into position after the blade is deployed.*

*To release the frame lock simply press the spring loaded lock as shown above and the blade will easily fold back into the handle.*



## LEEK

### Model 1660

Steel.....440A stainless-steel  
Handle...410 stainless-steel  
Blade.....3 in. (7.5 cm)  
Closed...4 in. (10.3 cm)  
Weight...3.1 oz.



## LEEK

### Model 1660ST

Steel.....440A stainless-steel  
Handle...410 stainless-steel  
Blade.....3 in. (7.5 cm)  
partially serrated  
Closed...4 in. (10.3 cm)  
Weight...3.1 oz.



## LEEK

### Model 1660CKT

Steel.....440A stainless-steel  
tungsten DLC coated  
Handle...410 stainless-steel  
tungsten DLC coated  
Blade.....3 in. (7.5 cm)  
Closed...4 in. (10.3 cm)  
Weight...3.1 oz.



## LEEK

### Model 1660CKTST

Steel.....440A stainless-steel  
tungsten DLC coated  
Handle...410 stainless-steel  
tungsten DLC coated  
Blade.....3 in. (7.5 cm)  
partially serrated  
Closed...4 in. (10.3 cm)  
Weight...3.1 oz.

Ambidextrous opening  
**CHIVES**  
**LEEKs**



### Kershaw's Fresh Onions—Take Your Pick

Our popular Chives and Leeks come in a variety of handle styles with technologically advanced coatings—one sure to suit you.

Choose from bead-blasted stainless steel, Ti-nitride, or our handsome “smoked” anodized aluminum finish in three colors. Please note that due to the nature of the double-anodizing process, which

produces the smoked finish, no two knives are ever exactly alike. Yet all share Ken Onion's distinctive styling and the SpeedSafe ambidextrous opening system and include a removable pocket clip.

#### CHIVE

##### Model 1600BR

(Black & Red)

Steel.....420HC stainless-steel  
Handle...6061-T6 anodized aluminum  
with smoked finish  
Blade.....1 15/16 in. (4.9 cm)  
Closed...2 7/8 in. (7.3 cm)  
Weight...1.9 oz.

#### CHIVE

##### Model 1600BB

(Black & Blue)

Steel.....420HC stainless-steel  
Handle...6061-T6 anodized aluminum  
with smoked finish  
Blade.....1 15/16 in. (4.9 cm)  
Closed...2 7/8 in. (7.3 cm)  
Weight...1.9 oz.

#### CHIVE

##### Model 1600BW

(Black & White)

Steel.....420HC stainless-steel  
Handle...6061-T6 anodized aluminum  
with smoked finish  
Blade.....1 15/16 in. (4.9 cm)  
Closed...2 7/8 in. (7.3 cm)  
Weight...1.9 oz.

**kershaw®**  
Ken Onion USA

#### LEEK

##### Model 1660BR

(Black & Red)

Steel.....440A stainless-steel  
Handle...6061-T6 anodized aluminum  
with smoked finish  
Blade.....3 in. (7.5 cm)  
Closed...4 in. (10.3 cm)  
Weight...3.1 oz.

#### LEEK

##### Model 1660BB

(Black & Blue)

Steel.....440A stainless-steel  
Handle...6061-T6 anodized aluminum  
with smoked finish  
Blade.....3 in. (7.5 cm)  
Closed...4 in. (10.3 cm)  
Weight...3.1 oz.

#### LEEK

##### Model 1660BW

(Black & White)

Steel.....440A stainless-steel  
Handle...6061-T6 anodized aluminum  
with smoked finish  
Blade.....3 in. (7.5 cm)  
Closed...4 in. (10.3 cm)  
Weight...3.1 oz.



#### Reversible Clip

The Leek handles are drilled for both tip-up and tip-down clip carry. The clip can be rotated 180° as shown in the diagram.



# KEN ONION DESIGNS

with SpeedSafe®



## SCALLION

### Model 1620

Steel.....420HC stainless-steel  
Handle...Polyimide  
Blade.....2 1/4 in. (5.8 cm)  
Closed...3 1/2 in. (8.4 cm)  
Weight...2.3 oz.



## SCALLION

### Model 1620ST

Steel.....420HC stainless-steel  
Handle...Polyimide  
Blade.....2 1/4 in. (5.8 cm)  
partially serrated  
Closed...3 1/2 in. (8.4 cm)  
Weight...2.3 oz.



## SCALLION

### Model 1620BL

Steel.....420HC stainless-steel  
Handle...6061-T6  
anodized-aluminum  
Blade.....2 1/4 in. (5.8 cm)  
Closed...3 1/2 in. (8.4 cm)  
Weight...2.3 oz.



## SCALLION

### Model 1620BLST


Steel.....420HC stainless-steel  
Handle...6061-T6  
anodized-aluminum  
Blade.....2 1/4 in. (5.8 cm)  
partially serrated  
Closed...3 1/2 in. (8.4 cm)  
Weight...2.3 oz.

**SPEEDSAFE®**  
TECHNOLOGY WITH AN EDGE

## Locking Liner

*Locks the blade into position after the blade is deployed.*

*To release the locking liner simply press the spring loaded lock as shown to your right and the blade will easily fold back into the handle.*



## Tip Safety Lock

*The tip Lock available on many of the Ken Onion SpeedSafe models provides added security to assure that the blade will not deploy while clipped into your pocket.*

### Scallions in Eye Catching Colors

Our colorful Scallions are designed to meet the needs of the knife user who wants SpeedSafe technology in a smaller carrying knife. All Ken Onion Scallions feature SpeedSafe, plus our tip safety lock.

Choose from basic black Polyimide handles or any of our colorful anodized-aluminum options. The attractive coloration is created in the anodizing process, which hardens the aluminum and produces a porous, oxide coating that can absorb dyes—including

our NEW camouflage finish on the Model 1620C. Colored surfaces that are produced in this process are durable and scratch resistant.



### SCALLION

#### Model 1620GRN

Steel.....420HC stainless-steel  
Handle...6061-T6  
          anodized-aluminum  
Blade.....2 1/4 in. (5.8 cm)  
Closed...3 1/2 in. (8.4 cm)  
Weight...2.3 oz.



### SCALLION

#### Model 1620GRNST

Steel.....420HC stainless-steel  
Handle...6061-T6  
          anodized-aluminum  
Blade.....2 1/4 in. (5.8 cm)  
          partially serrated  
Closed...3 1/2 in. (8.4 cm)  
Weight...2.3 oz.



### SCALLION

#### Model 1620RD

Steel.....420HC stainless-steel  
Handle...6061-T6  
          anodized-aluminum  
Blade.....2 1/4 in. (5.8 cm)  
Closed...3 1/2 in. (8.4 cm)  
Weight...2.3 oz.



### SCALLION

#### Model 1620RDST

Steel.....420HC stainless-steel  
Handle...6061-T6  
          anodized-aluminum  
Blade.....2 1/4 in. (5.8 cm)  
          partially serrated  
Closed...3 1/2 in. (8.4 cm)  
Weight...2.3 oz.



### SCALLION

#### Model 1620C (Camouflage)

Steel.....420HC stainless-steel  
Handle...6061-T6 anodized-aluminum  
          Mossy Oak® Breakout  
Blade.....2 1/4 in. (5.8 cm)  
Closed...3 1/2 in. (8.4 cm)  
Weight...2.3 oz.



Ambidextrous opening

**KORSHAW**  
Ken Onion USA

SCALLIONS




# KEN ONION DESIGNS

with SpeedSafe®

## Blade Safety Lock

The Blade Lock located on the spine of the Boa provides added security to assure that the blade will not deploy while clipped into your pocket.



## BOA

### Model 1580

Steel.....S60V stainless-steel  
tungsten DLC coated  
Handle...6061-T6 anodized  
aluminum  
Blade.....3 3/8 in. (8.6 cm)  
Closed...4 3/4 in.  
(12 cm)  
Weight...4.9 oz.



# 2000

IWA International  
Knife Award

kershaw®  
Ken Onion USA




Ambidextrous opening

## BOA

### Model 1580ST

Steel.....S60V stainless-steel  
tungsten DLC coated  
Handle...6061-T6 anodized aluminum  
Blade.....3 3/8 in. (8.6 cm)  
partially serrated  
Closed...4 3/4 in. (12 cm)  
Weight...4.9 oz.



## Changeable Clip

The Boa models 1580 and 1580ST handles are drilled for both left and right hand clip carry. The clip can be moved as shown in this diagram.

## Locking Liner

Locks the blade into position after the blade is deployed.

To release the locking liner simply press the spring loaded lock as shown to your left and the blade will easily fold back into the handle.

# TACTICAL FOLDERS



## Tactical Folders- the Right Knife for the Job

These Kershaw Ken Onion folders are big and bold, designed to fit the hand and handle a huge variety of tasks. All are engineered to perform without unnecessary weight.

# 1999

Blade Magazine  
Best Buy of  
the Year

Choose from all-weather polyimide handles on the Blackout and Whirlwind, textured, sure-grip G10 on the Avalanche or super-light aircraft aluminum on the Boa. Most models also offer Tungsten DLC coated blades for non-reflective properties. All include SpeedSafe and secure locking

systems to keep the blade in place until you release it. In addition, the Boa offers ambidextrous opening with the Index Open System. Each knife also includes a removable or reversible pocket clip.



### Changeable Clip

The Avalanche models 1570 and 1570ST handles are drilled for both tip-up or tip-down clip carry.

## BLACKOUT

### Model 1550

Steel.....440A stainless-steel  
tungsten DLC coated  
Handle...Polyimide  
Blade.....3 1/4 in. (8.4 cm)  
Closed...4 1/2 in. (11.3 cm)  
Weight...3.5 oz.

## BLACKOUT

### Model 1550ST

Steel.....440A stainless-steel  
tungsten DLC coated  
Handle...Polyimide  
Blade.....3 1/4 in. (8.4 cm)  
partially serrated  
Closed...4 1/2 in. (11.3 cm)  
Weight...3.5 oz.

## WHIRLWIND

### Model 1560

Steel.....440A stainless-steel  
Handle...Polyimide  
Blade.....3 1/4 in. (8.4 cm)  
Closed...4 1/2 in. (11.3 cm)  
Weight...3.5 oz.

## WHIRLWIND

### Model 1560ST

Steel.....440A stainless-steel  
Handle...Polyimide  
Blade.....3 1/4 in. (8.4 cm)  
partially serrated  
Closed...4 1/2 in. (11.3 cm)  
Weight...3.5 oz.

## AVALANCHE

### Model 1570

Steel.....S60V stainless-steel  
tungsten DLC coated  
Handle...G-10  
Blade.....3 1/8 in. (7.9 cm)  
Closed...4 1/2 in. (11.3 cm)  
Weight...3.5 oz.

## AVALANCHE

### Model 1570ST

Steel.....S60V stainless-steel  
tungsten DLC coated  
Handle...G-10  
Blade.....3 1/8 in. (7.9 cm)  
partially serrated  
Closed...4 1/2 in. (11.3 cm)  
Weight...3.5 oz.

**SPEEDSAFE®**  
TECHNOLOGY WITH AN EDGE

# KEN ONION DESIGNS

with Manual Opening



## VAPOR

### Model 1640

Steel.....AUS6A stainless-steel  
Handle...410 stainless-steel  
Blade.....3 in. (7.5 cm)  
Closed...4 in. (10.3 cm)  
Weight...3.25 oz.

## Frame Lock

*Locks the blade into position after the blade is deployed.*

*To release the frame lock simply press the spring loaded lock as shown below and the blade will easily fold back into the handle.*



## VAPOR

### Model 1640ST

Steel.....AUS6A stainless-steel  
Handle...410 stainless-steel  
Blade.....3 in. (7.5 cm)  
partially serrated  
Closed...4 in. (10.3 cm)  
Weight...3.25 oz.



## VAPOR II

### Model 1650

Steel.....AUS6A stainless-steel  
Handle...410 stainless-steel  
Blade.....3 1/2 in. (9 cm)  
Closed...4 1/2 in. (11.5 cm)  
Weight...4.5 oz.



## VAPOR II

### Model 1650ST

Steel.....AUS6A stainless-steel  
Handle...410 stainless-steel  
Blade.....3 1/2 in. (9 cm)  
partially serrated  
Closed...4 1/2 in. (11.5 cm)  
Weight...4.5 oz.

VAPOR  
VAPOR

**Vapor Folders Feature Onion Styling  
and One-Handed, Manual Opening**

For customers who want a quality knife at a value price, Kershaw's Vapor and Vapor II folding knives provide the answer.

All Vapor models feature a sleek, high-tech look combined with super-smooth one-handed, manual opening. The stainless-steel handles are decoratively drilled for an industrial-tech look. This open construction provides for a strong, yet airy, design.

Choose from two sizes and two finishes; bead-blasted stainless steel or ti-nitride-coated stainless-steel. Either way, these are every day carrying knives with plenty of flair.

**kershaw®**  
Ken/Onion

**BLACK VAPOR**

**Model 1640BLK**

Steel.....AUS6A stainless-steel  
ti-nitride coated  
Handle...410 stainless-steel  
ti-nitride coated  
Blade.....3 in. (7.5 cm)  
Closed...4 in. (10.3 cm)  
Weight...3.25 oz.

**BLACK VAPOR**

**Model 1640BLKST**

Steel.....AUS6A stainless-steel  
ti-nitride coated  
Handle...410 stainless-steel  
ti-nitride coated  
Blade.....3 in. (7.5 cm)  
partially serrated  
Closed...4 in. (10.3 cm)  
Weight...3.25 oz.

**BLACK VAPOR II**

**Model 1650BLK**

Steel.....AUS6A stainless-steel  
ti-nitride coated  
Handle...410 stainless-steel  
ti-nitride coated  
Blade.....3 1/2 in. (9. cm)  
Closed...4 1/2 in. (11.5 cm)  
Weight...4.5 oz.

**BLACK VAPOR II**

**Model 1650BLKST**

Steel.....AUS6A stainless-steel, ti-nitride coated  
Handle...410 stainless-steel, ti-nitride coated  
Blade.....3 1/2 in. (9. cm) partially serrated  
Closed...4 1/2 in. (11.5 cm)  
Weight...4.5 oz.



# KEN ONION DESIGNS

with SpeedSafe®

**kershaw®**  
Ken Onion USA



## RESCUE BLUR

### Model 1675BLKST

Steel.....440A stainless-steel,  
with Tungsten DLC coating  
Handle....6061-T6 anodized aluminum  
with Trac-Tec inserts  
Liner.....410 stainless steel  
Blade.....3 3/8 in. (8.6 cm)  
partially serrated  
Closed...4 1/2 in. (11.5 cm)  
Weight...4.2 oz.



## RESCUE BLUR

### Model 1675RDST

Steel.....440A stainless-steel  
Handle....6061-T6 anodized aluminum  
with Trac-Tec inserts  
Liner.....410 stainless steel  
Blade.....3 3/8 in. (8.6 cm)  
partially serrated  
Closed...4 1/2 in. (11.5 cm)  
Weight...4.2 oz.

### Rescue BLUR Glass Breaker Tip

*It's small, but it can be a real lifesaver.  
In an emergency, a sharp blow with the carbide tip  
cracks windshield glass—enabling trapped accident  
victims to escape.*



### Rounded Tip Blade

*Kershaw's Rescue Blur has a dull  
(non-sharpened) round tip for  
easy and safe use.*

### Locking Liner

*Locks the blade into position after the blade  
is deployed.*

*To release the locking liner simply press the  
spring loaded lock as shown to your left and the  
blade will easily fold back into the handle.*



POLO  
RESCUE  
Ambidextrous

## Kershaw's Police & Rescue Folders

SpeedSafe combines with our Trac-Tec inserts for fast response and a secure grip in emergency situations. Inlaid in our lightweight aluminum handles, the

rough Trac-Tec material provides a non-slip grip even in wet and slippery conditions. This selection of Blurs also gives you your choice of blade styles- including the Tactical Blur with its partially serrated Tanto-style blade. Rescue Blur blades have a rounded tip for

safer cutting in close or dangerous situations. Rescue Blurs also include a carbide glass-breaker tip for emergency use. All Blurs are equipped with SpeedSafe and a removable/reversible pocket clip.



### BLUR

#### Model 1670BLK

Steel.....440A stainless-steel,  
with Tungsten DLC coating  
Handle...6061-T6 anodized aluminum  
with Trac-Tec inserts  
Liner.....410 stainless steel  
Blade.....3 3/8 in. (8.6 cm)  
Closed...4 1/2 in. (11.5 cm)  
Weight...4.2 oz.

### BLUR

#### Model 1670BLKST

Steel.....440A stainless-steel,  
with Tungsten DLC coating  
Handle...6061-T6 anodized aluminum  
with Trac-Tec inserts  
Liner.....410 stainless steel  
Blade.....3 3/8 in. (8.6 cm)  
partially serrated  
Closed...4 1/2 in. (11.5 cm)  
Weight...4.2 oz.

### TACTICAL BLUR

#### Model 1670TBKST

Steel.....440A stainless-steel,  
with Tungsten DLC coating  
Handle...6061-T6 anodized aluminum  
with Trac-Tec inserts  
Liner.....410 stainless steel  
Blade.....3 3/8 in. (8.6 cm)  
partially serrated Tanto  
Closed...4 1/2 in. (11.5 cm)  
Weight...4.2 oz.

### BLUR

#### Model 1670RD

Steel.....440A stainless-steel  
Handle...6061-T6 anodized aluminum  
with Trac-Tec inserts  
Liner.....410 stainless steel  
Blade.....3 3/8 in. (8.6 cm)  
Closed...4 1/2 in. (11.5 cm)  
Weight...4.2 oz.

### BLUR

#### Model 1670RDST

Steel.....440A stainless-steel  
Handle...6061-T6 anodized aluminum  
with Trac-Tec inserts  
Liner.....410 stainless steel  
Blade.....3 3/8 in. (8.6 cm)  
partially serrated  
Closed...4 1/2 in. (11.5 cm)  
Weight...4.2 oz.

**SPEEDSAFE®**  
TECHNOLOGY WITH AN EDGE



# POCKET KNIVES

with Manual Opening

## SAPPHIRE

### Model 1450

Steel.....AUS8A stainless-steel  
 Liners....410 stainless-steel  
 Handle...Titanium  
 Blade.....3 in. (7.6 cm)  
 Closed...4 in. (10.0 cm)  
 Weight...2.3 oz.  
 Removable pocket  
 clip



**kershaw®**  
 K N I V E S

## SPLINTER

### Model 1460

Steel.....AUS8A stainless-steel  
 Liners....420 stainless-steel  
 Handle...Quince wood  
 Blade.....3 in. (7.5 cm)  
 Closed...4 in. (10.3 cm)  
 Weight...2.3 oz.



## SPLINTER

### Model 1460BR

Steel.....AUS8A stainless-steel  
 Liners....420 stainless-steel  
 Handle...Smoked anodized  
             aircraft aluminum  
 Blade.....3 in. (7.5 cm)  
 Closed...4 in. (10.3 cm)  
 Weight...2.3 oz.



## SPLINTER

### Model 1460BRST

Steel.....AUS8A stainless-steel  
 Liners....420 stainless-steel  
 Handle...Smoked anodized  
             aircraft aluminum  
 Blade.....3 in. (7.5 cm)  
             partially serrated  
 Closed...4 in. (10.3 cm)  
 Weight...2.3 oz.



## NAKAMURA

### Model 1480

Steel.....Clad VG10 stainless-steel  
             center core with 420J2 outer layers  
 Handle...Quince wood  
 Bolster...Mokume style (10 layers):  
             SUS410 stainless-steel (base layer)  
             Copper (5 layers) Brass (4 layers)  
 Blade.....2 7/8 in. (7.3 cm)  
 Closed...3 7/8 in. (10.0 cm)  
 Weight...3.2 oz.





### Style Plus Cutting Power

Kershaw offers a handsome selection of folding knives that combine great style with the quality and precision of Kershaw manufacturing. Choose the Splinter,

Sapphire, or Nakamura for a dress knife that's dressed for success. Splinter Model 1460 and the Nakamura feature variegated Quince wood handles. The Sapphire offers a sapphire-blue titanium handle. Or choose our one-of-a-kind Splinter with its "smoked"

anodized aluminum handle. The Storms, in two sizes, provide rugged styling with sure-grip Trac-Tec handle inserts. All these high-performance designs have proven popular with knife enthusiasts everywhere.

### STORM

#### Model 1470

Steel.....Sandvik 13C26  
stainless-steel  
Handle...410 stainless-steel  
with Trac-Tec inserts  
Blade.....3 in. (7.5 cm)  
Closed...4 in. (10.3 cm)  
Weight...4.2 oz.



### STORM

#### Model 1470ST

Steel.....Sandvik 13C26  
stainless-steel  
Handle...410 stainless-steel  
with Trac-Tec inserts  
Blade.....3 in. (7.5 cm)  
partially serrated  
Closed...4 in. (10.3 cm)  
Weight...4.2 oz.

**kershaw**  
Ken Onion USA

### STORM II

#### Model 1475

Steel.....Sandvik 13C26  
stainless-steel  
Handle...410 stainless-steel  
with Trac-Tec inserts  
Blade.....3 1/2 in. (8.4 cm)  
Closed...4 3/4 in. (12.0 cm)  
Weight...5.8 oz.



### STORM II

#### Model 1475ST

Steel.....Sandvik 13C26  
stainless-steel  
Handle...410 stainless-steel  
with Trac-Tec inserts  
Blade.....3 1/2 in. (8.4 cm)  
partially serrated  
Closed...4 3/4 in. (12.0 cm)  
Weight...5.8 oz.

### Locking Liner

*Locks the blade into position after the blade is deployed.*

*To release the locking liner simply press the spring loaded lock as shown to your left and the blade will easily fold back into the handle.*

# CLASSIC KNIVES



## SHOTGUN SHELL

### Model 12GAD

Steel.....AUS6A stainless-steel  
Handle...Polished brass bolsters,  
rosewood  
Blade-A..2 in. (5.1 cm) non-locking  
Blade-B..2 in. (5.1 cm) non-locking  
screwdriver/file  
Closed...2 5/8 in. (6.7 cm)  
Weight...1.2 oz.

**kershaw®**  
K N I V E S



## SQUAW CREEK

### Model 2150

Steel.....AUS6A stainless-steel  
Handle...Satin-finish,  
rosewood inlay  
Blade.....2 in. (5.1 cm)  
Closed...2 5/8 in. (6.8 cm)  
Weight...1.4 oz.



## INDIAN FORD

### Model 2155

Steel.....AUS6A stainless-steel  
Handle...Satin-finish,  
rosewood inlay  
Blade.....2 5/8 in. (6.9 cm)  
Closed...3 1/2 in. (8.9 cm)  
Weight...2.7 oz.



## SOMMELIER'S TOOL


### Model 2170

Steel.....AUS6A stainless-steel  
Handle...Satin-finish, rosewood  
inlay  
Blade.....1 1/2 in. (3.8 cm)  
Closed...4 1/2 in. (11.7 cm)  
Weight...2.2 oz.  
Includes:  
Corkscrew, bottle opener,  
fine-grain leather sheath

## Back Lock

*Locks the blade into position after the blade is deployed.*

*To release the back lock simply press the spring loaded lock as shown below and the blade will easily fold back into the handle.*



## Locking Liner

*Locks the blade into position after the blade is deployed.*

*To release the locking liner simply press the spring loaded lock as shown below and the blade will easily fold back into the handle.*





### Classic for a Reason

Kershaw brings our own brand of innovation and quality to this selection of classic-style knives. All feature quality AUS6A stainless-steel construction with genuine wood handles.

All are precision crafted to Kershaw's renowned fit and finish. All make ideal companions for pocket or briefcase. Our Cascade Meadow collection features rosewood inlays. The Double Cross and Double Duty include classic nickel bolsters, brass and stainless-steel

liners, and polished staminawood handles. Plus, they feature an industry first—a single locking liner that secures both blades. Any one would be a classic you'd be proud to carry.

### WHISKEY GAP

#### Model 4100

Steel.....AUS6A stainless-steel  
Handle...Satin-finished bolsters,  
rosewood inlay  
Blade.....2 1/4 in. (5.9 cm)  
Closed...3 1/8 in. (7.9 cm)  
Weight...1.9 oz.



### WILD TURKEY

#### Model 4150

Steel.....AUS6A stainless-steel  
Handle...Satin-finished bolsters,  
rosewood inlay  
Blade.....3 1/8 in. (7.9 cm)  
Closed...3 7/8 in. (10.0 cm)  
Weight...2.2 oz.



### DOUBLE CROSS

#### Model 4380

Steel.....AUS6A stainless-steel  
Handle...Polished bolsters,  
staminawood inlay  
Blade-A..2 3/8 in. (5.9 cm)  
Blade-B..1 7/8 in. (4.7 cm)  
Closed...3 1/2 in. (8.9 cm)  
Weight...2.2 oz.



### DOUBLE DUTY

#### Model 4390

Steel.....AUS6A stainless-steel  
Handle...Polished bolsters,  
staminawood inlay  
Blade-A..2 3/4 in. (7.1 cm)  
Blade-B..2 5/8 in. (6.7 cm)  
Closed...4 1/8 in. (10.5 cm)  
Weight...3.1 oz.



Classic  
Designs



# POCKET KNIVES

## & Accessories



### LFK

#### Model 1700

Steel.....AUS6A stainless-steel  
Handle...6061-T6 anodized  
aircraft aluminum  
Blade.....2 1/8 in. (5.4 cm)  
locking liner  
Closed...3 in. (7.6 cm)  
Weight...1.1 oz.



### SILVER SPUR

#### Model 2800

Steel.....AUS6A stainless-steel  
Handle...6061-T6 aircraft aluminum  
Blade.....1 7/8 in. (4.7 cm)  
Closed...2 1/2 in. (6.4 cm)  
Weight...0.6 oz.



### SILVER SPUR II

#### Model 2825

Steel.....AUS6A stainless-steel  
Handle...6061-T6 aircraft aluminum  
Blade.....2 1/4 in. (5.7 cm)  
Closed...3 in. (7.6 cm)  
Weight...0.9 oz.



### STAINLESS STEEL POCKET KNIFE

#### Model 5000

Steel.....420J2 stainless-steel  
Blade.....1 3/4 in. (4.5 cm)  
Closed...2 1/4 in. (5.9 cm)  
Weight...1.1 oz.

### STAINLESS STEEL POCKET KNIFE

#### Model 5200S

Steel.....420J2 stainless-steel  
Blade.....2 3/8 in. (6.0 cm)  
Closed...3 in. (7.6 cm)  
Weight...1.7 oz.

### MONEY CLIP KNIFE

#### Model 6400

Steel.....AUS6A stainless-steel  
Handle.....Satin finished bolster,  
Rosewood inlay  
Blade.....1 5/8 in. (4.1 cm)  
Scissors...1 5/8 in. (4.1 cm)  
Nail file...1 5/8 in. (4.1 cm)  
Closed.....2 in. (5.4 cm)  
Weight...1.2 oz.



### KEY CHAIN KNIFE

#### Model 6500

Steel.....AUS6A stainless-steel  
Handle.....Satin finished bolster,  
Rosewood inlay  
Blade.....1 5/8 in. (4.1 cm)  
Scissors...1 5/8 in. (4.1 cm)  
Nail file...1 5/8 in. (4.1 cm)  
Closed.....2 in. (5.4 cm)  
Weight...1.2 oz.

**kershaw®**  
K N I V E S

## Small Yet Versatile-Kershaw Pocket knives and Accessories

These executive pocket knives and accessories are built for rugged reliability and sleek good looks.

From our Silver Spur models to our engraving-ready Stainless Steel Pocket Knife to our lightweight LFK, these knives are easy to use and easy to carry. And don't miss the new Two Can. Use one blade for regular cutting tasks or two for scissors-

style cutting. The Money Clip and Key Chain Knife are perfect out of the box. But they also make terrific gifts with engraved personalization.

### TWO CAN

#### Model 1001

Steel.....420J2 stainless-steel  
Handle.....303 stainless-steel  
Blade.....1 1/2 in. (3.5 cm)  
Scissors.....1 1/8 in. (2.9 cm)  
Closed.....2 3/4 in. (7.0 cm)  
Weight.....0.9 oz.

#### Knife configuration



#### Scissors configuration



## Accessory Sheaths

Protect your investment in Kershaw quality with one of our handsome, easy-carry sheaths. Choose heavy-duty nylon or harness leather. Sheaths fit any of the Kershaw knives listed with each model.

# Sheath Designs



### NYLON

#### Model 3120E

Fits Kershaw models:

- 1045A, 1570, 1570ST, All 1620's, 1640, 1640ST, 2420, 2420ST, 3120
- Mounts vertically or horizontally on your belt

### NYLON

#### Model 1060E

Fits Kershaw models:

- 1060A, 1550, 1550ST, 1560, 1560ST 1580, 1580ST, 1650, 1650ST, 3140
- Mounts vertically or horizontally on your belt

### LEATHER

#### Model 1050L

Fits Kershaw models:

- 1060, 1050, 1550, 1550ST, 1560, 1560ST, 1580, 1580ST, 1650, 1650ST, 3140

### NYLON

#### Model 1060EGH

Fits Kershaw models:

- 1550, 1550ST, 1560, 1560ST, 1580, 1580ST, 1650, 1650ST



# POCKET KNIVES

with Manual Opening



## LINER ACTION

### Model 2415

Steel.....AUS6A stainless-steel  
Handle...Die-cast-aluminum  
co-polymer inlays  
Blade.....2 7/8 in. (7.5 cm)  
Closed...3 3/4 in. (9.6 cm)  
Weight...2.0 oz.



## LINER ACTION

### Model 2415ST

Steel.....AUS6A stainless-steel  
Handle...Die-cast-aluminum  
co-polymer inlays  
Blade.....2 7/8 in. (7.5 cm)  
partially serrated  
Closed...3 3/4 in. (9.6 cm)  
Weight...2.0 oz.

### Locking Liner

*Locks the blade into position after the blade is deployed.*

*To release the locking liner simply press the spring loaded lock as shown to your left and the blade will easily fold back into the handle.*



## LINER ACTION

### Model 2420

Steel.....AUS6A stainless-steel  
Handle...Die-cast-aluminum  
co-polymer inlays  
Blade.....3 1/2 in. (9.0 cm)  
Closed...4 1/2 in. (11.8 cm)  
Weight...3.3 oz.

## LINER ACTION

### Model 2420ST

Steel.....AUS6A stainless-steel  
Handle...Die-cast-aluminum  
co-polymer inlays  
Blade.....3 1/2 in. (9.0 cm)  
partially serrated  
Closed...4 1/2 in. (11.8 cm)  
Weight...3.3 oz.



Trad  
Desi

### Some of Our Hardest Working Knives

Kershaw's Liner Action knives feature light, strong die-cast aluminum frames, razor-sharp blades, and our secure locking liner. The liner holds the quality blade securely in place, yet releases easily.

Our Liner Action models also include a convenient thumb stud for one-handed opening. All models include a removable pocket clip. Our Officer Ranch knives are sturdy work knives, pure and simple.

They're designed to perform and they've proven themselves again and again. All Officer Ranch knives feature a locking back for safety.

#### GRANT COUNTY

##### Model 3100

Steel.....AUS6A stainless-steel  
Handle...Zinc die-cast alloy,  
cross-grooved ABS inlay  
Blade.....1 7/8 in. (4.9 cm)  
Closed...2 5/8 in. (6.8 cm)  
Weight...1.2 oz.

**kershaw®**  
K N I V E S

#### CORRAL CREEK

##### Model 3115

Steel.....AUS6A stainless-steel  
Handle...Zinc die-cast alloy,  
cross-grooved  
ABS inlay  
Blade.....2 1/2 in. (6.2 cm)  
Closed...3 3/8 in. (8.6 cm)  
Weight...2.2 oz.

#### Back Lock

*Locks the blade into position  
after the blade is deployed.*

*To release the back lock simply press the spring  
loaded lock as shown to your left and the blade  
will easily fold back into the handle.*

#### BLACK GULCH

##### Model 3120

Steel.....AUS6A stainless-steel  
Handle...Zinc die-cast alloy,  
cross-grooved ABS inlay  
Blade.....3 in. (7.6 cm)  
Closed...4 1/8 in. (10.5 cm)  
Weight...4.3 oz.  
Includes black nylon sheath

#### WILDCAT RIDGE

##### Model 3140

Steel.....AUS6A stainless-steel  
Handle...Zinc die-cast alloy,  
cross-grooved ABS inlay  
Blade.....3 1/2 in. (9.0 cm)  
Closed...4 7/8 in. (12.5 cm)  
Weight...4.3 oz.  
Includes black nylon sheath



# WORK **KNIVES**

with Manual Opening



## **BLACK COLT II**

### **Model 1045A**

Steel.....440A stainless-steel  
Handle...co-polymer  
Blade.....3 in. (7.5 cm)  
Closed...4 1/8 in. (10.4 cm)  
Weight...3.5 oz.  
Includes nylon sheath



## **BLACK HORSE II**

### **Model 1060A**

Steel.....440A stainless-steel  
Handle...co-polymer  
Blade.....3 3/4 in. (9.8 cm)  
Closed...4 7/8 in. (12.5 cm)  
Weight...4.6 oz.  
Includes nylon sheath

**kershaw®**  
K N I V E S



## **BLACK HORSE II**

### **Model 1060ART**

Steel.....440A stainless-steel  
Handle...co-polymer with  
RealTree® Hardwoods HD  
Blade.....3 3/4 in. (9.8 cm)  
Closed...4 7/8 in. (12.5 cm)  
Weight...4.6 oz.  
Includes nylon sheath



Co-polymer  
Handles

## Sure-Grip Work Knives

These work-tough knives are built to dish it out and to take it. They're ideal companions for pocket, glove compartment, toolbox, or truck box. Each model features a resilient

co-polymer handle that ensures a secure grip in most any outdoor condition—from desert hot and dry to monsoon wet. To easily spot your knife when you need it, choose one of our colorful DWO Classics.

For a more subtle look, choose classic black or our new RealTree® Hardwoods HD camouflage. The lock back ensures each blade locks safely into position and releases easily when needed.

### D.W.O. II

#### Model 3002

Steel.....AUS6A stainless-steel  
Handle...Co-Polymer  
Blade.....2 in. (5.1 cm)  
Closed...2 5/8 in. (6.6 cm)  
Weight...0.8 oz.

### D.W.O. CLASSIC

#### Model 3000

Steel.....AUS6A stainless-steel  
Handle...Co-Polymer  
Blade.....2 3/8 in. (6.1 cm)  
Closed...3 1/4 in. (8.4 cm)  
Weight...1.6 oz.

### D.W.O. CLASSIC

#### Model 3000BL

Steel.....AUS6A stainless-steel  
Handle...Co-Polymer  
Blade.....2 3/8 in. (6.1 cm)  
Closed...3 1/4 in. (8.4 cm)  
Weight...1.6 oz.

### D.W.O. CLASSIC

#### Model 3000OR

Steel.....AUS6A stainless-steel  
Handle...Co-Polymer  
Blade.....2 3/8 in. (6.1 cm)  
Closed...3 1/4 in. (8.4 cm)  
Weight...1.6 oz.

### D.W.O. CLASSIC

#### Model 3000RD

Steel.....AUS6A stainless-steel  
Handle...Co-Polymer  
Blade.....2 3/8 in. (6.1 cm)  
Closed...3 1/4 in. (8.4 cm)  
Weight...1.6 oz.

### Lock back

Locks the blade into position after the blade is deployed.

To release the lock, simply press the spring loaded lock as shown to your left and the blade will easily fold back into the handle.





# TACTICAL KNIVES

## & Collectables



### STEVEN SEAGAL

#### Model 1680

Steel.....AUS8A stainless-steel  
Handle...anodized aluminum,  
Stingray inlay  
Blade.....3 5/8 in. (9.4 cm)  
Closed...5 in. (12.6 cm)  
Weight...5.5 oz.

*Kershaw's Steven Seagal knife was co-designed by Steven Seagal and custom knife maker, Ken Onion. This big, handsome knife features, one-handed opening and an anodized aluminum handle with utterly cool stingray leather inlay.*



### STEVEN SEAGAL

#### Model 1680ST

Steel.....AUS8A stainless-steel  
Handle...anodized aluminum,  
Stingray inlay  
Blade.....3 5/8 in. (9.4 cm)  
partially serrated  
Closed...5 in. (12.6 cm)  
Weight...5.5 oz.

**kershaw®**  
Ken Onion



### TROOPER®

#### Model 1007

Steel.....AUS8A stainless-steel  
Handle...AUS8A stainless-steel bolsters with  
Phenolic, and drilled for lanyard  
Blade.....5 1/4 in. (13.4 cm) double-edged  
Overall...9 1/2 in. (24.5 cm)  
Weight...7.8 oz.  
Includes leather boot sheath  
Individually serial numbered

### Tactical Fixed Blade and Collectable Knives

Collectors will covet this selection of unique knives from Kershaw. Folder fans will want Kershaw's Steven Seagal, co-designed by Ken Onion and Steven Seagal.

This big, handsome knife features one-handed opening and anodized aluminum handles with stingray-leather inserts. Fixed blade lovers will want to get their hands on our Military Knife with its quick-release sheath and multiple carry options.

The Trooper has been a classic boot knife favorite for years and comes with a harness-leather sheath and presentation case. And the NEW Outcast is a bold knife designed to cut through the toughest brush with ease. It comes with its own Kydex® sheath, too.

### MILITARY KNIFE

#### Model 4351

Steel.....One-piece, drop-forged

1.4116 German stainless-steel

Handle...POM scales

Blade.....4 1/2 in. (11.5 cm)

Overall...9 in. (22.9 cm)

Weight...4.4 oz.

Includes multi-use sheath and strap system

**kershaw®**  
K N I V E S

### OUTCAST

#### Model 1079

Steel.....D2 tool steel with

Ti-nitride coating

Handle...Double-injection-molded

Santoprene® (glass filled nylon)

Blade.....10 in. (25.4 cm)

Overall...16 in. (40.6 cm)

Weight...22.0 oz.

Includes Kydex® sheath





# WATER SPORT **KNIVES** & Accessories



## **BOOT KNIFE**

### **Model 1006K**


Steel.....420J2 stainless-steel  
Handle...420J2 stainless-steel,  
skeleton with  
co-polymer insert  
Blade.....3 3/4 in. (9.5 cm)  
Overall...7 3/4 in. (19.7 cm)  
Weight...3.2 oz.  
Includes Kydex®  
multi-function sheath  
with leg straps



## **CLIP SYSTEM**

### **Model 1006CS**

kershaw's water sport clip system  
attaches diver's sheath and the new  
Kydex® sheath to a life vest lash tab,  
netting and a variety of webbing.



Diving  
Kayaking

### Just Add Water

Light, tough, and versatile Kershaw's water sports knives provide an ideal combination of durability and functionality. All feature sturdy stainless-steel construction,


yet their open-tang handle design cuts down on unnecessary weight. Both Sea Hunter models offer changeable blades. The Sea Hunter's handles are injection-molded plastic and include neon accents so the knife can be easily spotted in a marine environment.

Both Sea Hunters come with Kershaw's diver's sheath with quick-release latch. The Amphibian comes with a NEW Kydex® sheath for multiple carry options. Add the Clip System and you can attach the sheaths to a life vest lash tab, netting, and a variety of webbing.

### SEA HUNTER

#### Model 1008

Steel.....420J2 stainless-steel  
Handle...Injection-molded neon plastic, with co-polymer  
Blade.....3 3/4 in. (9.5 cm)  
partially serrated,  
cord cutter  
Overall...7 3/4 in. (19.7 cm)  
Weight...3.0 oz.  
Includes diver's sheath  
& clip system



#### Changeable Blades

*With the twist of a slot screwdriver or even a coin, you can change the blade from pointed to blunt tip in a matter of seconds.*

### SEA HUNTER

#### Model 1008BL-P

Steel.....420J2 stainless-steel  
Handle...Injection-molded neon plastic, with co-polymer  
Blade.....3 1/2 in. (9.0 cm)  
blunt-tip, double-edged,  
partially serrated,  
cord cutter  
Overall...7 5/8 in. (19.5 cm)  
Weight...3.0 oz.  
Includes diver's sheath  
& clip system

### REPLACEMENT BLADE

#### Model 1008BL



### REPLACEMENT BLADE

#### Model 1008BL-PC



# MULTI-Tools

Shears, Sharpener, Utility Knife



## MULTI-TOOL

### Model A100C

Steel.....	440A stainless-steel
Handle.....	420 stainless-steel
Blade.....	3 in. (7.6 cm)
	partially serrated
Can/Bottle Opener.....	1 1/2 in. (3.8 cm)
Slot Screwdriver.....	1 1/2 in. (3.8 cm)
Hacksaw Blade.....	2 1/2 in. (6.4 cm)
File.....	2 1/4 in. (5.7 cm)
Phillips Screwdriver.....	1 7/8 in. (4.8 cm)
Overall.....	6 3/4 in. (17.1 cm)
Weight.....	8.6 oz.
Includes black nylon sheath	

Wire cutters

Needle nose pliers head

Computer designed teeth for gripping nuts and bolts

Slot for fishing hook shank

440A stainless steel partially serrated blade with locking liner

Stainless steel handles

Can opener bottle opener

Thumb stud for one-handed opening

Tension adjustment

Hacksaw blade

Slot screwdriver

Two-sided file

Phillips screwdriver

Ruler

Locking pliers release bar

Locking latch, holds tools in place for safe use

**kershaw**  
MULTI-TOOL USA

## Tool Adapter bit selection

Tool Adapter.....	3 1/8 in. (8.0 cm)
Bits.....	6 assorted: #0 phillips, #3 phillips, 9/32 slot, R1 square, T-5 Torx®, T-15 Torx®



## MULTI-TOOL with ADAPTER

### Model A100CTA

Multi-Tool specifications same as A100C	
Overall with adapter and bits.....	10 1/2 in. (26.7 cm)
Weight.....	11.7 oz.
Includes black nylon sheath	



## TOOL ADAPTER

### Model A100TA

Overall with bits.....	3 3/4 in. (9.6 cm)
Weight.....	3.1 oz.
Includes black nylon sheath	

## Tools Designed for the Task

Kershaw's Multi-Tool is one of the most versatile on the market. It offers ten functions—from screwdriver to pliers—in one. Even better, compared to other multi-tools, it provides a more full-sized

grip for more natural tool handling. Kershaw's Multi-Tool also features locking-jaw pliers that let you clamp on for hands-free operation. Our TaskMaster Shears are perfect for a wide variety of cutting chores; for easy cleaning,

the blades fully separate. Kershaw's new Utility Knife offers a more ergonomic grip than other cutters and uses standard Stanley® replaceable blades. And the Ultra-Tek Sharpener will keep all your Kershaw blades in “shaving sharp” condition.

## TASKMASTER SHEARS

### Model 1120

Overall...8 7/8 in. (22.5 cm)

Weight...5.1 oz.



## TASKMASTER SHEARS

### Model 1120S

Overall...8 7/8 in. (22.5 cm)

Weight...5.1 oz.

Includes harness-leather sheath



## ULTRA-TEK SHARPENER

### Model 2535

Steel.....600 grit, diamond coated, oval shaft

Handle...6061-T6 aircraft aluminum

Shaft.....3 3/4 in. (9.6 cm)

Overall...9 1/2 in. (24.5 cm)

Weight...2.0 oz.



Replaceable blades

Thumb stud also releases blade (no tools needed)



Safety lock

## UTILITY KNIFE

### Model KER300

Steel.....2 standard replaceable blades

Handle...Injection molded Zytel®

Blade.....2 3/4 in. (7.0 cm)

Overall...7 1/4 in. (18.5 cm)

Weight...2.4 oz.

Extra blade stored in handle



# Multi-Task Tools



# HUNTING **KNIVES**

## Fixed & Folding



### ECHO

#### Model 1070C

Steel.....AUS8A stainless-steel,  
full tang  
Handle...RealTree® Hardwoods HD  
Polyimide  
Blade.....4 in. (10.2 cm)  
Overall...8 5/8 in. (22 cm)  
Weight...4.8 oz.  
Includes RealTree® (Hardwoods)  
nylon sheath

*Full Tang Construction on  
all models except  
model 1050*

### KAPER

#### Model 2300

Steel.....AUS8A stainless-steel  
Handle...Cocobolo wood  
Blade.....3 1/8 in. (7.9 cm)  
Overall...7 1/8 in. (18.2 cm)  
Weight...2.0 oz.  
Includes harness-leather sheath



### MAJESTY

#### Model 2314

Steel.....AUS8A stainless-steel  
Handle...Cocobolo wood  
Blade.....3 1/4 in. (8.2 cm)  
Overall...7 3/4 in. (19.7 cm)  
Weight...5.2 oz.  
Includes harness-leather  
sheath



### KAPER/MAJESTY COMBO

#### Model 2314-2

Steel.....AUS8A stainless-steel  
Handle...Skeleton and Cocobolo wood  
Blade.....3 1/8 in. (7.9 cm)  
3 1/4 in. (8.2 cm)  
Overall...7 1/8 in. (18.2 cm)  
7 3/4 in. (19.7 cm)  
Weight...6.4 oz.  
Includes harness-leather sheath

## Classic Hunters

Kershaw offers a wide selection of quality hunting knives. From our flagship Folding Field Knife and Deer Hunter to our hardworking Elk Skinner and Roughneck to the Antelope and Bear Hunters with

their ergonomic "hand print" design, Kershaw hunting knives have seen plenty of outdoor action. Joining these classics are the Kaper and Majesty from custom knife maker Tom Veff as well as the camouflaged Echo by Ken Onion.

All our hunting knives are designed for comfortable and efficient use and top performance.

## ANTELOPE HUNTER II

### Model 1028

Steel.....AUS8A stainless-steel  
Handle...Co-polymer  
Blade.....3 5/8 in. (9.2 cm)  
Overall...8 in. (20.3 cm)  
Weight...3.6 oz.  
Includes harness-leather sheath

**kershaw**<sup>®</sup>  
K N I V E S

## BEAR HUNTER II

### Model 1029

Steel.....AUS8A stainless-steel  
Handle...Co-polymer  
Blade.....4 1/2 in. (11.4 cm)  
Overall...9 1/2 in. (24.4 cm)  
Weight...5.3 oz.  
Includes harness-leather sheath

## ELK SKINNER

### Model 1014

Steel.....AUS6A stainless-steel  
Handle...Co-polymer  
Blade.....4 1/2 in. (11.4 cm)  
with gut hook  
Overall...9 1/2 in. (24.4 cm)  
Weight...5.1 oz.  
Includes harness-leather sheath

## DEER HUNTER

### Model 1030

Steel.....AUS8A stainless-steel  
Handle...Phenolic & brass  
Blade.....4 in. (10.3 cm)  
Overall...8 1/4 in. (21 cm)  
Weight...8.2 oz.  
Includes harness-leather sheath

## ROUGHNECK

### Model 1010

Steel.....AUS6A stainless-steel  
Handle...Co-polymer  
Blade.....6 1/4 in. (15.8 cm)  
partially serrated top  
Overall...11 1/8 in. (28.3 cm)  
Weight...6.3 oz.  
Includes harness-leather sheath

## FOLDING FIELD

### Model 1050

Steel.....AUS8A stainless-steel  
Handle...phenolic and brass  
Blade.....3 3/4 in. (9.5 cm)  
Closed...4 3/4 in. (12.0 cm)  
Weight...8.6 oz.  
Includes harness-leather sheath



# FISHING **KNIVES**

## & Outdoor Accessories



### **SKEETER I FLY-TYING SCISSORS**

#### **Model 1210**

Overall...4 1/4 in. (10.7 cm)  
Weight...0.8 oz.

### **SKEETER II FLY-TYING SCISSORS, SERRATED**

#### **Model 1215**

Overall...4 1/4 in. (10.7 cm)  
Weight...0.8 oz.

### **SEVEN-STEP ADJUSTABLE FILLET KNIFE**

#### **Model 1240**

Steel.....420J2 stainless-steel  
Handle...Non-slip injection-molded  
Blade.....Adjust from 5 1/2 in. - 9 in.  
(14.3 cm) - (23.0 cm)  
Weight...3.2 oz.  
Includes ABS sheath



### **FILLET KNIFE**

#### **Model 1257**

Steel.....420J2 stainless-steel  
Handle...Co-polymer  
Blade.....7 in. (18.0 cm)  
Overall...12 in. (30.5 cm)  
Weight...3.5 oz.  
Includes ABS sheath



### **FILLET KNIFE**

#### **Model 1259**

Steel.....420J2 stainless-steel  
Handle...Co-polymer  
Blade.....9 1/4 in. (23.3 cm)  
Overall...14 1/4 in. (36.6 cm)  
Weight...3.8 oz.  
Includes ABS sheath



### **FOLDING FILLET KNIFE**

#### **Model 1256**

Steel.....AUS6A stainless-steel  
Handle...Co-polymer  
Blade.....6 in. (15.3 cm)  
Overall...13 1/8 in. (33.7 cm)  
Weight...5.6 oz.  
Includes spoon, lanyard hole

**On the Water or Back at Camp,  
Always Have the Right Tool**

Kershaw fillet knives feature quality high-carbon stainless-steel blades with the ideal degree of flex for fast and easy filleting.

Choose from two convenient fixed-blade lengths with sure-grip handles. Their co-polymer handles have neon accents that make the knives easier to spot in a marine environment. Or choose our 7-Step Fillet Knife that adjusts from 5 1/2 to 9 inches quickly and easily.

For the ultimate in compact filleting, go for the Folding Fillet Knife. Back at camp, you'll want a pair or two of Skeeter Fly-Tying Scissors and some of our handy collection of camp tools—from our Camp Ax and Folding Saw to our magnesium Fire starter.

**kershaw®**  
K N I V E S



**TROUT & BIRD  
KNIFE, SHEARS**

**Model 1120CB**

Steel.....AUS6A stainless-steel  
Handle...Co-polymer  
Blade.....3 1/2 in. (9 cm)  
Knife.....7 1/2 in. (19.3 cm)  
Shears...8 7/8 in. (22.5 cm)  
Weight...9.1 oz.  
Includes harness-leather sheath

**FIRE STARTER**

**Model 1019**

Steel.....Magnesium steel  
Handle...Molded plastic  
Shaft.....1 3/4 in. (4.6 cm)  
Overall...3 1/8 in. (8.0 cm)  
Weight...1.1 oz.



**CAMP AX**

**Model 1018**

Steel.....One-piece, drop forged  
high-carbon steel  
Handle...Krayton  
Blade.....3 1/2 in. (9.0 cm)  
Overall...11 in. (27.8 cm)  
Weight...14.5 oz.



**FOLDING SAW**

**Model 2550**

Steel.....Swedish saw steel  
Handle...Santoprene  
Blade.....7 in. (17.6 cm)  
Overall...16 in. (40.6 cm)  
Weight...6.4 oz.



# BLADE TRADERS

## Hunting, Fishing, Camping

### CAMP TOOL TRADER

#### Model 1091CT

Steel.....420J2 stainless-steel,  
saw steel (saw)

2 Handles.....Co-polymer  
Cook's blade.....6 in. (15.2 cm)  
Fish fillet blade...6 in. (15.2 cm)  
Saw blade.....6 in. (15.2 cm)  
Spatula.....3 5/8 in. (9.2 cm)  
Spoon.....3 5/8 in. (9.2 cm)  
Fork.....3 in. (7.5 cm)  
Cutting board.....10 3/4" x 8"  
(27.3 cm x 20.3 cm)

Weight.....48.9 oz.

Includes Hunter green case



### DELUXE BLADE TRADER

#### Model 1099DBT

Steel.....420J2 stainless-steel,  
saw steel (saw)


2 Handles.....Co-polymer  
Cook's blade.....6 in. (15.2 cm)  
Fish fillet blade...6 in. (15.2 cm)  
Saw blade.....6 in. (15.2 cm)  
Carving blade.....6 in. (15.2 cm)  
Bread blade.....6 in. (15.2 cm)  
Utility blade.....4 in. (10.2 cm)  
Weight.....29.3 oz.

Includes black nylon storage case



### Changeable Blades

Grasp the handle with your right hand; with your forefinger, press upwards on the underside of the Quick-Lock mechanism. Then, with your thumb, push the mechanism up into the open position as shown to your right. The blade or tool can be removed from the "bow tie" and a new blade or tool seated onto the "bow tie" (when seating the blade or tool onto the "bow tie" make sure to guide it into place top edge first, if you attempt to start with the bottom edge of the blade or tool the locking mechanism may not return to its down position). Complete the task by returning the mechanism to its closed (down) position as shown by the red arrow.



### Quick-Lock Mechanism

It is normal for a slight gap to be visible from the under side on the mechanism between the blade and the handle, exposing part of the bow tie as shown above and right by the two arrows.



**kershaw®**  
K N I V E S

### More Tools in Less Space

Kershaw's Blade Trader technology gives you the convenience of multiple, interchangeable blades and tools in a single handle. With the Blade Trader's exclusive Quick-Lock mechanism, you can quickly,

easily, and safely trade blades and tools—in seconds. The quality steel used to make each blade or tool is matched to its specific use. Each non-slip Blade Trader handle is ergonomically designed to reduce hand fatigue. All Blade Traders also include a

handy storage system. There are six different Blade Trader sets to choose from—including the Camp Tool Trader, which comes with two Blade Trader handles for extra convenience.



#### HUNTER'S BLADE TRADER

##### Model 1094HBT


Steel.....420J2 stainless-steel,  
saw steel (saw)  
Handle.....Co-polymer  
Hunting blade.....3 1/2 in. (9.0 cm)  
Saw blade.....6 in. (15.2 cm)  
Weight.....9.2 oz.  
Includes black nylon sheath



#### SPORTSMAN'S BLADE TRADER

##### Model 1095SBT

Steel.....420J2 stainless-steel,  
saw steel (saw)  
Handle.....Co-polymer  
Hunting blade.....3 1/2 in. (9.0 cm)  
Saw blade.....6 in. (15.2 cm)  
Fillet blade.....6 in. (15.2 cm)  
Weight.....13.1 oz.  
Includes black nylon sheath



#### FISHERMAN'S BLADE TRADER

##### Model 1096FBT

Steel.....420J2 stainless-steel  
Handle.....Co-polymer  
Fillet blade.....7 in. (18.0 cm)  
Fillet blade.....9 in. (22.9 cm)  
partially serrated  
Weight.....8.9 oz.  
Includes black nylon sheath

#### ALASKAN BLADE TRADER

##### Model 1098AK

Steel.....AUS6A stainless-steel  
(gut hook),  
420J2 stainless-steel  
(hunting),  
saw steel (saw)  
Handle.....Co-polymer  
Gut hook blade.....6 in. (15.2 cm)  
Hunting blade.....3 1/2 in. (9.0 cm)  
Saw blade.....6 in. (15.2 cm)  
Weight.....11.6 oz.  
Includes harness-leather  
sheath





# NG CARABINERS

## National Geographic Carabiner Tools

National Geographic Society products are developed to provide expedition-quality function and integrity. Through its Gear-on-Assignment program, the Society relies on input from Geographic explorers and photographers around the globe to find and test such products. Cinematographer Brian Harvey first brought Kershaw's new Carabiner Tool to the Society's attention for field-testing of this incredibly handy tool. Due to the National Geographic Tools success, we have added the Jeeva mini Carabiner in two colors. Net proceeds from purchase of the Carabiner tools, like all National Geographic's net proceeds, support vital exploration, conservation, research, and education programs.

- Model 1004 Includes knife blade, slot and Phillips-head screwdrivers, bottle opener, and Carabiner.
- Model 1003 & 1003YL Includes one-hand opening knife blade.
- Clips to vest, backpack, camera case, belt loop, and more.
- Spring-loaded gate holds tool securely closed until released by user.
- High-carbon, stainless steel blade honed to Kershaw's "shaving sharp" edge.
- Locking liner for safety.
- Model 1004 features black, anodized aircraft aluminum handles.
- Model 1003 & 1003YL features injection molded frame for light-weight applications.



## NATIONAL GEOGRAPHIC TOOL

### Model 1004

Steel.....AUS6A stainless-steel  
Frame.....Aluminum alloy  
Blade.....3 1/4 in. (8.1 cm)  
Closed...4 1/8 in. (10.4 cm)  
Weight...2.7 oz.

## 2003

Most Innovative  
Import Award



## JEEVA

### Model 1003YL

Steel.....AUS6A stainless-steel  
Liner.....420J2 stainless-steel  
Frame.....Injection molded  
Blade.....2 1/4 in. (5.7 cm)  
Closed...3 1/4 in. (8.4 cm)  
Weight...1.3 oz.



## JEEVA

### Model 1003

Steel.....AUS6A stainless-steel  
Liner.....420J2 stainless-steel  
Frame.....Injection molded  
Blade.....2 1/4 in. (5.7 cm)  
Closed...3 1/4 in. (8.4 cm)  
Weight...1.3 oz.



# JEEP KNIVES

## Jeep® + Kershaw for Style and Performance

These Kershaw knives go just about anywhere and do just about anything—just like a Jeep. They all offer you Kershaw's renowned technology and performance paired with Jeep's rugged style, quality—and the popular Jeep logo.



### TWO CAN

#### Model 1001JEEP

Steel.....420J2 stainless-steel  
Handle....303 stainless-steel  
Blade.....1 1/2 in. (3.5 cm)  
Closed....2 3/4 in. (7.0 cm)  
Weight....0.9 oz.



### LFK

#### Model 1700JEEP

Steel.....AUS6A stainless-steel  
Handle...6061-T6 anodized  
aircraft aluminum  
Blade.....2 1/8 in. (5.4 cm)  
locking liner  
Closed...3 in. (7.6 cm)  
Weight....1.1 oz.



### CHIVE

#### Model 1600JEEP (Cracked Mud)

Steel.....420HC stainless-steel  
Handle...6061-T6  
anodized-aluminum  
Blade.....1 15/16 in. (4.9 cm)  
Closed...2 7/8 in. (7.3 cm)  
Weight....1.9 oz.



### SCALLION

#### Model 1620JEEP (Rubicon Trail)

Steel.....420HC stainless-steel  
Handle...6061-T6  
anodized-aluminum  
Blade.....2 1/4 in. (5.8 cm)  
Closed...3 1/2 in. (8.4 cm)  
Weight....2.3 oz.



### LEEK

#### Model 1660JEEP (Haystack Rock)

Steel.....440A stainless-steel  
Handle...6061-T6  
anodized-aluminum  
Blade.....3 in. (7.5 cm)  
Closed...4 in. (10.3 cm)  
Weight....3.1 oz.

Jeep®

**kershaw®**  
K N I V E S



door  
r



# POP DISPLAYS & Banners



**DISPLAY BANNER**  
Model SMBANNER

**P.O.P. DISPLAY**  
Model DISPLAYK-1

- Locking case rests on counter top, mounts on pegboard, or slat wall
- Magnetic and plastic clip systems to securely display knives
- Dimensions:  
18" W x 20" D x 6" H
- Weight: 15 1/2 pounds



**POP-UP DISPLAYS**  
(23.5 in x 82 in)

- A. Model BANNER 1004
- B. Model BANNER 1660VIB
- C. Model BANNER 1257
- D. Model BANNER 1098AK

## P.O.P. DISPLAY

### Model M-3 TOP

### Model M-3 BOTTOM

- Three sided display case mounts on top of storage unit
- Magnetic and plastic clip systems to securely display knives
- Both units lock to secure inventory
- Dimensions:  
Top— 23 1/4" W x 25" D  
21 1/2" H  
Bottom— 20 1/2" W x  
20 1/2" D x 39" H
- Weight:  
Top—49 pounds  
Bottom—79 pounds



## Sales Generating Support

Sell more quality Kershaw products when you use these eye-catching displays. Each Kershaw display is built of high-quality, durable materials and enables you to display

a variety of Kershaw products to your customers. From our large pop-up banners or floor model display stand to our smaller countertop displays that hold a single knife, we have the perfect display to suit your needs.

Whichever one you choose, you'll appreciate the convenience and sales-making power of these handsome displays.



## P.O.P. DISPLAY

Model DISPLAYPOPSS1004

## FLASHING DISPLAYS



Model DISPLAYPOPSS1600



Model DISPLAYPOPSS1620



Model DISPLAYPOPSS1660



Model DISPLAYPOPSS



## DISPLAY SHELF

Model D-SHELF



Model DISPLAYPOPSS2



## DISPLAY STAND

Model A100TS

# Retail Displays



# CUSTOM **ETCHING** & Engraving

## Choose from these Three Methods to Personalize Your Kershaw Gifts and Awards

Give Kershaw and you give uncommon craftsmanship in premiums, presentation gifts, corporate awards, and personal gifts. We offer three different ways to emblazon your company's name and logo on our quality products.

### **Classic metal engraving**

Produces initials, names, and text in a variety of typefaces. Provides a subtle, classy look.



**Classic metal engraving**

### **Laser-etching**

Effectively reproduces logos or initials on stainless-steel blades or handles. Stands out more than metal engraving. Provides a bold look.



**Laser-etching**

### **Laser engraving**

Produces rich, accurately detailed scenes, deeply cut into quality hardwoods. Ideal for intricate artwork and logos. Provides a dramatic look.



**Laser engraving**

# STEEL CHART

## Comparison

STEEL	CARBON	CHROMIUM	COBALT	COPPER	MANGANESE	MOLYBDENUM	NICKEL	NITROGEN	PHOSPHORUS	SILICON	SULPHUR	TUNGSTEN	VANADIUM	HRC
A-2	0.95-1.05	4.75-5.50	-	-	1.00	0.90-1.40	0.30	-	-	0.50	-	-	0.15-0.50	57-62
D-2	1.40-1.60	11.00-13.00	-	-	0.60	0.70-1.20	0.30	-	-	0.60	-	-	1.10	57-61
M-2	0.95-1.05	3.75-4.50	-	-	0.15-0.40	4.75-6.50	0.30	-	-	0.20-0.45	-	5.00-6.75	2.25-2.75	60-65
5160	0.56-0.64	0.70-0.90	-	-	0.75-1.00	-	-	-	0.035	0.15-0.30	-	-	-	57-60
420	0.15	12.00-14.00	-	-	1.00	-	-	-	0.04	1.00	0.03	-	-	52-56
420 MODIFIED	0.40-0.50	12.00-14.00	-	-	0.80	0.60	-	-	0.05	1.00	0.02	-	0.18	54-56
425 MODIFIED	0.40-0.54	13.50-15.00	-	-	0.50	0.60-1.00	-	-	0.035	0.80	0.03	-	0.10	56-60
440A	0.65-0.75	16.00-18.00	-	-	1.00	0.75	-	-	0.04	1.00	0.03	-	-	55-57
440B	0.75-0.95	16.00-18.00	-	-	1.00	0.75	-	-	0.04	1.00	0.03	-	-	57-59
440C	0.95-1.20	16.00-18.00	-	-	1.00	0.75	-	-	0.04	1.00	0.03	-	-	58-60
AUS6A	0.55-0.65	13.00-14.50	-	-	1.00	-	0.49	-	0.04	1.00	0.03	-	0.10-0.25	57-58
AUS8A	0.70-0.75	13.00-14.50	-	-	0.50	0.10-0.30	0.49	-	0.04	1.00	0.03	-	1.10-0.26	58-59
AUS-10	0.95-1.10	13.00-14.50	-	-	0.50	0.10-0.31	0.49	-	0.02	1.00	0.03	-	0.10-0.27	59-60
GIN-1	0.90	15.50	-	-	0.60	0.30	-	-	0.03	0.37	0.03	-	-	58-60
ATS-34	1.05	14.00	-	-	0.40	4.00	-	-	-	0.35	0.02	-	-	59-61
154CM	1.05	14.00	-	-	0.50	4.00	-	-	-	0.30	-	-	-	59-61
ATS-55	1.00	14.00	0.40	0.20	0.50	0.60	-	-	0.03	0.40	-	-	-	60-62
VG-10	0.95-1.05	14.50-15.50	1.30-1.50	-	0.50	0.90-1.20	-	-	-	0.60	-	-	0.10-0.30	60-62
BG-42	1.15	14.50	-	-	0.50	4.00	-	-	-	0.30	-	-	1.20	61-63
CPM S30V	1.45	14.00	-	-	-	2.00	-	0.20	-	-	-	-	4.00	57-59
CPM S60V	2.10	17.00	-	-	0.40	0.40	-	-	-	0.40	-	-	5.50	55-57
CPM S90V	2.30	14.00	-	-	-	1.00	-	-	-	-	-	-	9.00	56-58
CPM 10V	2.45	5.25	-	-	0.50	1.30	-	-	-	0.90	0.07	-	9.75	56-58
CPM 3V	0.80	7.50	-	-	-	1.30	-	-	-	-	-	-	2.75	58-60
SANDVIK 13C26	0.68	13.00	-	-	-	0.70	-	-	0.025	0.40	0.01	-	-	57-59

## LIABILITY DISCLAIMER

Kershaw Knives are intended and sold for legitimate sporting purposes only. The purchase, use, and ownership of knives are subject to a wide variety of local laws and regulations. Certain knife styles, blade designs, and blade lengths are not allowed in specific areas. In light of recent events involving national security, knives may not be permitted in government buildings or on government property (such as court houses, federal offices, national monuments, and airports), and government officials may take the position that knives are "weapons" under applicable laws. Due to the complexity and constantly changing nature of these laws and regulations, it is impossible for Kershaw Knives, to be aware of every restriction in every location in which our knives may be sold or carried. It is the responsibility of the buyer to investigate and comply with the laws and regulations that apply in his or her specific area. You, and not Kershaw Knives, are solely responsible for any claims resulting from violation of these laws and/or regulations.

Kershaw products are made in the USA, Japan, Canada, Taiwan, Mexico, and China as indicated on the product.

We reserve the right to change specifications, materials, or discontinue products at any time without notice.

## LIMITED LIFETIME WARRANTY

Kershaw products are guaranteed for the lifetime of the original owner to be free of defects when received from the factory. Any product we find to be defective in its original material, construction, or workmanship will be repaired or replaced with the same item or one of equal value at no charge. (Of course, normal wear, abuse such as prying with the knife, or neglect are excluded from this non-transferable warranty.) For warranty service, please return product via UPS or insured mail. Include your name, address, telephone number, proof of purchase (sales slip), and a short explanation of the warranty service requested to the address below. Please allow 4-6 weeks for delivery.

Kershaw Knives, Inc.  
Attn: Warranty Department  
18600 SW Teton Avenue  
Tualatin, OR 97062



**Kershaw®**  
V E S

**kershaw®**  
K N I V E S



**kai USA Ltd.**

18600 SW Teton Avenue. • Tualatin, OR 97062 • Toll Free: 800.325.2891 • [www.kershawknives.com](http://www.kershawknives.com)